TWO SECTIONS JANUARY, 1941 SECTION 2

S·A·E JOURNAL

Index to Volumes 46 and 47

JANUARY-DECEMBER, 1940

SOCIETY OF AUTOMOTIVE ENGINEERS, 29 West 39th Street, New York

Index to Transactions

Author Index

THE Index for the Transactions Section of the SAE Journal for 1940 is printed on the following pages. Page numbers for this Section are consecutive from January to December. The table below indicates the pages contained in each issue:

January	1-48	May	185-228	September	349-396
February	49-92	June	229-272	October	397-444
March	93-136	July	273-304	November	445-496
April	137-184	August	305-348	December	497-548

Following the Transactions Index there is printed the General Editorial Section Index.

Author	Title of Paper	Page
Adams, Harold W.	Design and Shop Problems in High-Pressure Hydraulic Systems	367
Albright, Frank C.	Experience in Integral Aircraft Fuel-Tank Construction	291
Appel, W. D.	Higher Taxes and Lower Incomes – Effect on Car Design	(E) 548
Bachle, C. F.	Progress in Light Aircraft Engines	243
Beall, Wellwood E.; and G. E. Emery, Jr.	Problems of Submerged Engine Installations	(E) 68
Bissell, Thomas A.	1941 Car Design Trends	445
Blackwood, A. J.; and G. H. Cloud	Characteristics of Diesel Fuels Influencing Power and Economy	49
Blackwood, A. J.; W. J. Sweeney, W. W. Manville, and G. H. Cloud	The Control of Smoke in the Automotive Diesel	397
Blok, H.	Fundamental Mechanical Aspects of Boundary Lubrication	54
Brady, George W.	Propeller Requirements for Submerged Engine Installations	191
Brown, Roy W.	Engineering Properties of Rubber in Compression	432
Brull, Charles B.	Modern European Light Cars	177
Chase, Herbert	Heating, Ventilating, and Cooling of Passenger Cars	137
Cloud, G. H.; and A. J. Blackwood	Characteristics of Diesel Fuels Influencing Power and Economy	49
Cloud, G. H.; A. J. Blackwood, W. J. Sweeney, and W. W. Manville	The Control of Smoke in the Automotive Diesel	397
Colwell, A. T.	Dangers of Bombing	(E) 270
Colwell, A. T.	Modern Aircraft Valves	147
Colwell, A. T.	The Problem of Valve-Stem and Valve-Head Deposits	358
Cornelius, Walter, and Lloyd Withrow	Effectiveness of the Burning Process in Non-Knocking Engine Explosions	526
Cornelius, Walter; Gerald M. Rassweiler, and Lloyd Withrow	Engine Combustion and Pressure Development	25
Cronstedt, Val	Shortcomings of Mica Insulation for Aviation Spark Plugs	233
Davies, S. J., and E. Giffen	Processes in Injection Systems of Oil Engines	119
Davies, W. W.	Passenger Comfort in Commercial Aviation	342
Dix, E. H., Jr., and R. B. Mears	Aluminum Aircraft Fuel Tanks	215
Doane, Harry C.	What Direction Signals Must Accomplish	(E) 228
Doman, Carl T.	Economic Aspects of Light Airplane Engines	284
Emery, G. E., Jr.; and Wellwood E. Beall	Problems of Submerged Engine Installations	(E) 68
Fales, Dean A.	Design Suggestions for Improving Vision	(E) 299
Fisher, L. C., and W. E. Lay	Riding Comfort and Cushions	482
Fox, L. W., and A. L. MacCracken	New Life in Fleet Tires	(E) 48
Fraser, Alexander	The Traffic Congestion Problem	(E) 341
Fraser, Lieut. William B.	Mechanized Cavalry in the U. S. Army	(E) 146
Gagg, R. F.	Status of Fuel Performance Tests in Aviation Engines	271
Gephart, Valentine	Emulsions for Automotive Degreasing	(E) 290
Giffen, E., and S. J. Davies	Processes in Injection Systems of Oil Engines	119
Grant, L. B.	Production of Magnesium-Alloy Aircraft Parts	325
Green, G. A.	Power Transmissions for Buses	1

(E) indicates excerpt published.

Eng. Lib.
Direct

AUTHOR INDEX

Author	Title of Paper	Page
Hall, E. S.	More Power from Less Engine	504
Hemingway, E. L.	A New Method of Testing and Grading Fine Abrasives	332
Higginbotham, R. R.	Air Forces on Radial Air-Cooled Engine Cowling	370
Hill, Henry C.	Design Problems in the Quantity Production of Aircraft Engines	18
Hives, E. W., and F. Ll. Smith	High-Output Aircraft Engines	106
Hoehn, V. H.; Clyde R. Paton, and E. C. Pickard	Seat Cushions and the Ride Problem	273
Hope, G. A., and W. S. Mount	Relation of Diesel Fuel Properties to Their Engine Performance	100
Hubner, William H.	Better Fuels for Better Engines	409
Jackman, Kenneth R.	Modern Aircraft Materials and Their Testing	461
James, William S.	Axle and Transmission Lubrication	312
Jansen, P. N.	A Plan for Aircraft Expansion	(E) 92
Jardine, Frank	Applications of Aluminum in Diesel Engines	520
Johnson, Clarence L.	Rudder Control Problems on Four-Engined Airplanes	262
Kent, P. J.	The Automobile Headlamp Problem	229
Kline, Gordon M.	Plastics and Their Uses in the Automotive Industry	198
Lay, W. E., and L. C. Fisher	Riding Comfort and Cushions	482
Lucke, C. E.	Reducing Diesel Specific Weight	(E) 165
Ludicke, H., and C. G. Williams	The Wear of Crankshafts with "Lead-Bronze" Bearings	93
MacCracken, A. L., and L. W. Fox	New Life in Fleet Tires	(E) 48
Manville, W. W.; G. H. Cloud, A. J. Blackwood, and W. J. Sweeney	The Control of Smoke in the Automotive Diesel	397
McKee, S. M.	Lubrication and Engine Development	(E) 519
Mears, R. B., and E. H. Dix, Jr.	Aluminum Aircraft Fuel Tanks	215
Moir, Harry L., and Joseph A. Moller	Engine Deposits and the Effect of Some Fuel Additives	250
Moller, Joseph A., and Harry L. Moir	Engine Deposits and the Effect of Some Fuel Additives	250
Mount, W. S., and G. A. Hope	Relation of Diesel Fuel Properties to their Engine Performance	100
Paton, Clyde R.; E. C. Pickard, and V. H. Hoehn	Seat Cushions and the Ride Problem	273
Pickard, E. C.; V. H. Hoehn, and Clyde R. Paton	Seat Cushions and the Ride Problem	273
Pierce, Erold F.	Altitude and the Aircraft Engine	421
Prutton, C. F.; and A. O. Willey	Lubricating Hypoids	(E) 53
Rassweiler, Gerald M.; Lloyd Withrow, and Walter Cornelius	Engine Combustion and Pressure Development	25
Riddle, Frank H.	Ceramic Insulators for Spark Plugs	236
Roensch, Max M.	Piston-Ring Coatings and Their Effect on Ring and Bore Wear	221
Schey, Oscar W.	Performance of Aircraft Spark-Ignition Engines with Fuel Injection	166
Sherman, D. W.	Unit Frame and Body	305
Smith, F. Ll., and E. W. Hives	High-Output Aircraft Engines	106
Sweeney, W. J.; W. W. Manville, G. H. Cloud, and A. J. Blackwood	The Control of Smoke in the Automotive Diesel	397
Tattersfield, E. E.	Development of Butane as a Motor-Truck Fuel	(E) 311
Teetor, Macy O.	Load-Carrying-Capacity Phenomena of Bearing Surfaces	497
Thompson, J. Trueman	Truck Performance Study of the Public Roads Administration	185
Underwood, Arthur F.	Cadmium-Alloy Bearing Materials	(E) 99
Wallace, D. A.	Superfinish	69
Wiegman, C. H.	Geared Engines for Light Airplanes	301
Wilkinson, Paul H.	The Performance of Modern Aircraft Diesels	474
Willey, A. O.; and C. F. Prutton	Lubricating Hypoids	(E) 53

(E) indicates excerpt published.

Author	Title of Paper	Page
Williams, C. G., and H. Ludicke	The Wear of Crankshafts with "Lead-Bronze" Bearings	93
Withrow, Lloyd, and Walter Cornelius	Effectiveness of the Burning Process in Non-Knocking Engine Explosions	526
Withrow, Lloyd; Walter Cornelius, and Gerald M. Rassweiler	Engine Combustion and Pressure Development	25
Wolf, Austin M.	More Power per Unit Gross Weight	349
Worthington, W. H.	Proposed Air Cleaner Test Code	294

Discusser Index

Discusser	Page	Discusser	Page	Discusser	Page
Allen, Everett	417	Haskell, Raymond	417	Moore, Charles S.	407
Axelson, O. A.	417	Hemingway, E. L.	340	Nixon, Frank	118
Banker, Oscar H.	16	Hemphill, T. M.	270	Nutt, Arthur	480
Banks, F. R.	118	Heron, S. D.	118	Porter, H. R., and W. V. Hanley	406
Beall, A. L.	479	Horine, M. C.	418	Preble, T. L.	419
Beall, A. L.	503	Howell, C. E.	418	Robertson, A. F., and R. A. Rose	407
Becker, A. E.	420	Huff, Leo	419	Rose, R. A., and A. F. Robertson	407
Bigelow, M. H.	214	Insley, Robert	479	Schweitzer, P. H.	408
Burk, F. C.	418	Kline, J. E.	339	Smith, T. C.	419
Chase, Herbert	214	Larson, C. M.	323	Taylor, C. Fayette	547
Eisinger, J. O.	418	Lautzenhiser, F. B.	419	Underwood, Arthur F.	503
Flogaus, H. A.	418	Lessells, John M.	118	Walker, P. H.	339
Green, G. A.	17	Lichty, L. C.	546	Wolf, Austin M.	419
Hanley, W. V.	420	Milligan, Lowell H.	336	Wooler, Ernest	324
Hanley, W. V., and H. R. Porter	406				

Subject Index

A

Accidents and Accident Prevention — PAGE

- Aircraft
  - Fuel factor — 175
  - Fuel-type effects — 478, 479, 481
  - Hydraulic systems, high-pressure — 369
  - Rudder control — 262, 263
- Automobile
  - Design factors
    - Body — 299, 300
    - Direction signals — 228
    - Headlighting — 300
    - Improvements needed — 299, 300
    - Visibility — 299, 300
    - Windshields — 299, 300
  - Improvements needed — 299, 300
- Preventives, No-Rol device — 460-C

Air Cleaners

- PROPOSED AIR CLEANER TEST CODE — 294
- Dust-particle size — 296
- Test code, proposed
  - Apparatus — 297
  - Procedure — 297, 298
  - Scope — 296
- Test dust specifications — 295, 296

Air Conditioning

(See Bodies)

Aircraft Design and Construction

- ALUMINUM AIRCRAFT FUEL TANKS — 215
- DESIGN AND SHOP PROBLEMS IN HIGH-PRESSURE HYDRAULIC SYSTEMS — 367
- EXPERIENCE IN INTEGRAL AIRCRAFT FUEL-TANK CONSTRUCTION — 291
- PROPELLER REQUIREMENTS FOR SUBMERGED ENGINE INSTALLATIONS — 191
- Aerodynamic efficiency, submerged engine effects — 68; 191, 197
- Aluminum used in — 215; 462, 463
- Cabin
  - Fumigation — 347, 348
  - Heating — 345, 346
  - Interior design
    - Color — 344
    - Materials — 344
    - Seating — 343
  - Lavatory facilities — 347
  - Lighting — 346
  - Oxygen equipment — 347
  - Soundproofing — 344
  - Space accommodations — 342, 343
  - Ventilating — 345, 346
- Copper used in — 463
- Corrosion
  - Causes — 217, 218, 220
  - Prevention — 215, 217, 218, 219, 220
- Engine installation
  - Aerodynamic considerations — 68; 191, 197
  - Propeller design affected by — 191
  - Structural problems — 191, 194
  - Submerged type — 68; 191
- Fuel tanks
  - Aluminum alloys used
    - Alclad sheet — 215, 216, 219, 220
    - Corrosion resistance — 215, 220
    - Heat-treatable — 215, 216
    - Merits — 215, 219, 220
    - Non-heat-treatable — 215, 216
  - Design requirements — 220

Aircraft Design and Construction (Continued) — PAGE

- Types
  - Integral — 217, 220
  - Removable — 217, 220
- Hydraulic systems
  - High-pressure
    - Design problems — 367, 368, 369
    - Low pressure compared with — 368, 369
    - Pumps — 369
    - Reasons for using — 367
    - Safety factor — 369
    - Shop problems — 369
    - Weight saving effected by — 367, 368, 369
  - Low and high pressure compared — 368, 369
- Light aircraft
  - Privately owned — 243
  - Production figures — 243
  - Progress — 243
  - Student-training type — 243
- Magnesium used in — 325, 331; 462, 463
- Makes
  - Boeing — 342
  - Douglas — 344
  - Lockheed — 344
- Materials used in — 461
- "Molded" type — 465
- Nacelle size — 191
- Nickel used in — 464
- Passenger comfort
  - PASSENGER COMFORT IN COMMERCIAL AVIATION — 342
  - Bibliography — 348
  - Comfort limits — 348
  - Factors affecting
    - Airplane operation
      - Acceleration — 348
      - Angle — 348
      - Descent rate — 348
    - Catering — 346, 347
    - Heating — 345
    - Interior design — 343, 344
    - Lighting — 346
    - Noise prevention — 344
    - Space accommodations — 342, 343
    - Ventilation — 345
    - Vibration — 348
  - Progress — 342
- Plastics used in — 202, 204, 207, 214; 344; 464, 465, 466
- Production
  - Fabrication methods, new — 466
  - Fuel-tank construction
    - Integral type — 291
    - Sealing methods — 292, 293
  - Materials used — 461
- Propellers
  - Blades
    - Cuff and spinner combination — 193, 194
    - Design requirements — 192, 193, 194
    - Material effects — 192, 197
    - Schwarz type — 466
    - Shanks
      - Drag — 192
      - Fairing — 192, 193
      - Horsepower absorbed by — 192
      - Types — 192
  - Engine location effects — 191, 194
  - Engines, submerged, effects of — 191
  - Gyroscopic-torque chart — 194
  - Hub — 192
  - Location — 191, 197
  - Materials used — 466
  - Mounting
    - Propeller type effects — 197
    - Vibration affected by — 195, 197

PAGE

Aircraft Design and Construction (Concluded)

- Shafts
  - Mounting 194, 195, 196, 197
  - Propeller type effects 197
- Vibration
  - Isolation 195, 196
  - Sources 195
- Steel used in 148, 149, 154, 155, 164, 165; 462, 463, 464
- Wings, engine enclosed in 191, 197
- Wood used in 464, 465

(See also Accidents and Accident Prevention, Aircraft; Aircraft Operation and Performance; and Engines, Aircraft)

Aircraft Operation and Performance

- RUDDER CONTROL PROBLEMS ON FOUR-ENGINED AIRPLANES 262
- Altitude effects 421
- Bombers vs. pursuit planes 270
- Climb 268, 269
- Controllability, directional
  - Control speed 269
  - Design effects 265, 266, 268, 270
  - Four-engined aircraft 262
  - Power loading effects 264, 268, 269
  - Requirements 270
  - Rudder control problems 262, 270
  - Slipstream relation to 267, 270
  - Speed relation to 263
  - Tail surface effects 265, 270
  - Wing loading effects 264, 268, 269
  - Yaw relation to 262, 263, 264, 265, 266, 267, 268, 269
- Engine installation, submerged, effects of 68
- Flight tests 381
- Four-engined aircraft
  - Controllability 262, 270
  - One or two engines inoperative 262, 267, 269
- Gasoline-tank corrosion
  - Flux effects 218
  - Fuel type effects 218
  - Service experience 217, 218, 220
  - Water effects 217, 218, 219
- Maintenance records, improvement needed 233
- Makes, Douglas 371
- Noise
  - Passenger comfort affected by 344, 348
  - Prevention means 344
  - Sources 344
- Passenger comfort 342, 344, 348
- Propellers
  - Airflow 378
  - Thrust 262; 378
- Pursuit planes vs. bombers 270
- Rudder control problems 262
- Stability 266, 267, 270; 396
- Stalling 265
- Tail area, vertical, effects 262, 263, 265, 270
- Take-off 263, 264, 268, 269, 270
- Vibration
  - Passenger comfort affected by 344, 348
  - Sources 348
- Wings 263, 264, 268, 269, 270
- Yaw 262, 263, 264, 265, 266, 267, 268, 269

(See also Accidents and Accident Prevention, Aircraft; Aircraft Design and Construction; and Engines, Aircraft)

Aluminum and Aluminum Alloys

- APPLICATIONS OF ALUMINUM IN DIESEL ENGINES 520
- Aircraft use of 215; 462, 463
- Alclad 216, 219, 220; 467, 468, 469, 470
- Corrosion resistance 215, 220; 524, 525
- Cost factor 521, 525
- Diesel engine applications **520**
- Foreign usage 179, 180, 182
- Legislation effects 520
- Redesigning engines for use of 521
- Service experience 220
- Steel compared with 23
- Testing 466, 467, 468, 469, 470
- Weight saving 520, 521, 522, 525

American Association of Motor Vehicle Administrators 230

American Society for Testing Materials

410, 411, 413, 414, 418, 438

PAGE

Army

- MECHANIZED CAVALRY IN THE U. S. ARMY 146
- Cavalry, history 146
- Mechanized cavalry
  - Function 146
  - History 146

Automobile Design and Construction

- DESIGN SUGGESTIONS FOR IMPROVING VISION 299
- MODERN EUROPEAN LIGHT CARS 177
- 1941 CAR DESIGN TRENDS 445
- Body and frame unit construction 305, 307
- Chassis and body engineering cooperation needed 273, 274, 284
- Direction signals 460-C
- Electrical systems 452, 453
- Engine mounting
  - Progress 453
  - Rubber 453
- Equipment progress 452, 453, 460-C
- Improvements needed 299, 300
- Light cars, European 177
- Makes
  - Adler-Trumpf 178
  - Berliet 178, 180
  - Buick 156, 157, 158; 445, 454, 457, 458, 459, 460-A, 460-B, 460-C
  - Cadillac 9; 311; 446, 454, 457, 458, 459, 460, 460-A, 460-B, 460-C
  - Chevrolet 445, 454, 457, 460, 460-A, 460-B, 460-C
  - Chrysler 89; 445, 454, 455, 456, 457, 458, 459, 460-B, 460-C, 460-D
  - Citroens 177, 181, 183
  - De Soto 445, 456, 458
  - Dodge 445, 456, 459
  - Ford 445, 454, 456, 458, 460, 460-A, 460-B, 460-C
  - Hudon 446, 453, 454, 457, 458, 459, 460, 460-B, 460-C
  - LaSalle 446
  - Lincoln 445, 454, 457, 458, 460, 460-A, 460-C, 460-D
  - Mercedes 180
  - Mercury 454, 456, 458, 459, 460, 460-A, 460-B, 460-C
  - Morris 180
  - Nash 445, 454, 459, 460, 460-A, 460-B, 460-C, 460-D
  - Oldsmobile 445, 446, 456, 457, 458, 459, 460-B, 460-C
  - Packard 445, 446, 453, 457, 459, 460-A, 460-B, 460-C, 460-D
  - Peugeot 177, 179
  - Plymouth 445, 456, 458, 459, 460-B
  - Pontiac 446, 454, 457, 458, 460-A, 460-B, 460-C
  - Renault 177, 180, 184
  - Simca 177, 184
  - Studebaker 445, 457, 458, 460-A, 460-C
  - Willys 445, 454, 457, 458, 459, 460-B, 460-C
- Present and past compared 300
- Progress 445
- Propeller shafts, progress 457
- Rigidity requirements 308
- Safety device, No-Rol 460-C
- Taxation effects 548
- Trends 445
- Weight trends 445, 446
- Wheelbases 445, 446

(See also Accidents and Accident Prevention, Automobile; Automobile Operation and Performance; Axles; Bodies; Brakes; Clutches; Engine Design and Construction; Foreign Design and Operation; Frames; Gears; Headlighting; Production; Riding-Qualities; Shock Absorbers; Springs, Suspension; Steering Systems; Tires and Rims; and Transmissions)

Automobile Manufacturers Association 230

Automobile Operation and Performance

- WHAT DIRECTION SIGNALS MUST ACCOMPLISH 228
- Direction signals
  - Importance 228
  - Location 228
  - Requirements 228
  - Safety factor 228
- Driver vision
  - Design relation to 299, 300
  - Improvements suggested 299, 300
- Lubrication
  - Axle 312

PAGE

Automobile Operation and Performance (Concluded)

- Lubrication
  - Seasonal changes 312
  - Transmission 312
- Ride problem
  - Factors affecting 307, 308, 309
  - Gyroscopic effects 308

(See also Accidents and Accident Prevention, Automobile; Automobile Design and Construction; Axles; Bodies; Brakes; Clutches; Engine Operation and Performance; Lubricants and Lubrication; Riding Qualities; Shock Absorbers; Springs, Suspension; Tires and Rims; and Transmissions)

Aviation

- Commercial, passenger transport 342
- Transportation modes compared 342, 344, 345

(See also Accidents and Accident Prevention, Aircraft; Aircraft Design and Construction; Aircraft Operation and Performance; and Engines, Aircraft)

Axles

- AXLE AND TRANSMISSION LUBRICATION 312
- Gear tooth loads
  - Carrier deflections 317, 324
  - Data on 316
- Motorcoach
  - Rear 13, 14, 15, 16
  - Types illustrated 14, 15
- Motor-truck and passenger car compared 319
- Rear
  - Deflection tests
    - Data 324
    - Gleason machine used 324
  - Engine mounting effects 13, 14, 15, 16
  - Housings 458
  - Lubrication
    - Hypoid gear 314, 318
    - Recommendations 314
    - Seasonal changes 312, 313, 314
    - Temperature 317, 318, 319
  - Progress 458
  - Ratio 458
  - Reduction gears, hypoid 312; 458
  - Rear tread, trends 458
  - Torque transmission 13, 14, 15, 16
  - Types illustrated 14, 15
- Rigidity importance 324

B

Batteries

- Location 453
- Progress 453

Bearings

- CADMIUM-ALLOY BEARING MATERIALS 99
- THE WEAR OF CRANKSHAFTS WITH "LEAD-BRONZE" BEARINGS 93
- "Brinelled" 70, 71
- Engine
  - Aircraft
    - End-sealed 23, 24
    - Improvement needed 110
    - Metals 110, 111
  - Wear test data 94, 95, 99
- Failure, superfinish as preventive 90, 92
- Metals
  - Aluminum 520, 522, 524, 525
  - Aluminum-tin
    - Lead-bronze compared with 111
    - Physical properties 111
  - Babbitt 99; 503
  - Cadmium
    - Babbitt compared with 99
    - Indium used with 99
    - Lubricant effects 99
    - Merits 99
  - Copper-lead
    - Testing 93
    - Wear 93, 95, 99

PAGE

Bearings (Concluded)

- Corrosion resistance 99
- Ferrous 499
- Lead 498, 499
- Lead-bronze 93, 110, 111
- Testing 93
- Tin 499
- Progress 446
- Testing
  - Apparatus 93, 94
  - Results summarized 94, 95, 99
  - Wear 93

Bodies

- DESIGN SUGGESTIONS FOR IMPROVING VISION 299
- HEATING, VENTILATING, AND COOLING OF PASSENGER CARS 137
- UNIT FRAME AND BODY 305
- Air-conditioning
  - Cooling 143, 144, 145
  - Cost factor 137, 143, 145
  - Heating 137, 138, 139, 140, 141, 143, 146
  - Problems involved 137, 143, 145
  - Progress 460-C
  - Structural considerations 145
  - Systems classified 137, 138, 139, 140, 143
  - Ventilating 137, 139, 140, 141, 142, 144
  - "Weather eye" 141
- Backs
  - Contour 278
  - Pressure deflection curves 490
- Chassis and body engineering cooperation needed 273, 274
- Cooling
  - Packard system 143, 144, 145
  - Refrigerant, Freon 144
  - Refrigerating system 144
  - Sun effects 145
- Cushion spring frequency 280, 281, 282, 283
- Dimension trends 279
- Fenders, progress 460-C
- Floor length 491
- Frame unit construction with 305; 460-B, 460-D
- Heaters
  - Aerotherm 146
  - Chrysler 142, 143
  - Gasoline 138, 139
  - Harrison 139
  - Helio-Therm 138
  - Hudson 139
  - Location
    - Under-cowl 138, 143
    - Under-seat 138, 139, 140, 143
  - Nash 141
  - Packard 143
  - Studebaker 140
  - Types described 138, 139
  - Water 139
  - Weather-Master 139
- Heating
  - Defrosters 138, 140
  - Impact type 460-C
  - Progress 460-C
  - Systems classified 137
  - Under-seat system 460-C
- Heating and ventilating systems
  - Capacity increase 460-C
  - Climatizer 460-C
  - Condition-Air 460-C
  - Types described 460-C
  - Weather-Eye 460-C
- Hoods 299; 460-C
- Leg-room 279
- Noise 310
- Plastics, usage discussed 214, 220; 460-D
- Progress 445, 460-D
- Radiator grilles 460-C
- Research 305
- Rigidity 306, 308, 309, 311
- Running-boards 460-D
- Seats
  - Adjustable 300
  - Contour
    - Free 278, 279
    - Importance of 278
    - Loaded 278, 279

PAGE

Bodies (Concluded)

- Cushions
  - RIDING COMFORT AND CUSHIONS 482
  - SEAT CUSHIONS AND THE RIDE PROBLEM 273
  - Contour 278, 279
  - Cover 277, 283
  - Depth 279
  - Design requirements 279
  - Dynamic problems 279, 283
  - Height 491
  - Inclination 491
  - Length 491
  - Pads
    - Functions 275, 276
    - Materials used 275, 276
    - Protectors 277
    - Rubber 276
  - Pressure changes 496
  - Pressure deflection curves 489
  - Pressure distribution 485, 496
  - Riding qualities affected by 273, 283; 482, 484, 486
  - Rubber used in 276, 277, 300
  - Spring frequency 280, 281, 282, 283
  - Spring location 489
  - Spring types 283
  - Testing 279, 280, 281, 282; 485
  - Types described 274, 275
  - Unit pressures 485, 496
- Design requirements 490
- Improvements needed 299, 300
- Location 299
- Spring location 489
- Universal Test Seat 485, 486, 487
- Structural considerations 309, 310
- Toe-board angle 491
- Torpedo type 460-D
- Trends 445, 460-D
- Trussing 310
- Unitary design
  - Car ride affected by 307, 308
  - Conventional compared with 308, 310, 311
  - Cost relation to 307, 311
  - Factors involved 307
  - Weight relation to 307
- Ventilating
  - Blower operation 141, 142, 144
  - Cowl ventilators 137, 139, 142
  - Methods 139, 140, 141, 142
  - Progress 140, 141, 142
- Visibility, improvement needed 299, 300
- Window lifts 445, 460-D
- Windshields
  - Defrosting 299, 300
  - Driver vision decreased by 299
  - Improvements needed 300
  - Light reflected by 299
  - Safety glass 299
  - Sloped 299
  - Visors 299, 300
  - Wipers 460-C

Brakes

- Drums 458
- Lining 458
- Linkage 458
- Pedal 458
- Progress 458
- Safety clevis connection 458

Bus

(See Motorcoach)

C

Carburetors and Carburetion

- Compound carburetion 445, 447, 450, 451
- Direct injection compared with 166, 171, 172, 176
- Downdraft 285
- Dual 451
- Progress 447, 452
- Updraft 285

PAGE

Chemistry

- EMULSIONS FOR AUTOMOTIVE DEGREASING 290
- Emulsions
  - Automotive use 290
  - Development 290
  - Hard-water effects 290
- Progress 290

Civil Aeronautics Authority 233, 263; 304

Clutches

- Automatic 453, 454
- Centering 454
- Centrifugal 5
- Cushioning 454
- Direct-drive 6, 7, 8
- Fluid coupling 5; 418
- Friction 6, 7, 8, 9
- Makes
  - Electromatic 453
  - Vacumatic 453
- Motorcoach 5, 6, 9
- Pedal pressure 454
- Progress 445, 453, 454
- Springs 454
- Vacuum-operated 453

Cooperative Fuel Research

- Corrosion projects 215
- Detonation testing
  - Aviation gasoline 271
  - Engine tests, aviation gasoline 271
- Gasoline surveys 411
- Motor method 413

Corrosion and Corrosion Prevention

- Aircraft fuel tanks 215, 217
- Aluminum 215; 524, 525
- Causes analyzed 218
- Corrosion Projects, Cooperative Fuel Research 215
- Magnesium 325, 326
- Mechanism of 218
- Prevention methods 218, 219

Crankcases

- Aircraft engine 22
- Aluminum used in 520
- Design importance 22
- Progress 23
- Steel 23
- Weight reduction 520

Crankshafts

- THE WEAR OF CRANKSHAFTS WITH "LEAD-BRONZE" BEARINGS 93
- Aircraft engine vibration 303, 304
- Balancing
  - Dynamic balancer 449
  - Harmonic balancer 448
  - Machine described 448
  - Progress 448
- Crankpins
  - Case-hardened 98, 99
  - Cast materials 96, 97
  - Materials tested 94
  - Surface hardened 97, 98
  - Wear test data 99
- Progress 448, 449
- Testing
  - Apparatus 93, 94
  - Results summarized 94, 95
  - Wear 93
- Vibration
  - Aircraft engine
    - Amplitude 303, 304
    - Damping 303, 304
  - Dampers
    - Dynamic 304
    - Friction type 303
    - Lanchester 303
    - Pendulum type 304
- Weight trends 448, 449

PAGE

Cylinders

LOAD-CARRYING-CAPACITY PHENOMENA OF BEARING SURFACES 497
Aircraft
Air-cooled
Liners 286
Unit type 285
Weight 285, 290
Head design 244
Aluminum used in 520, 522
Bearing surfaces
Cavitated surfaces 502
Failure causes 497
Interrupted surfaces 501, 502, 503
Lubrication 497, 498, 503
Load carrying capacity
Bearing area relation to 500, 501, 503
Friction relation to 498
Lubrication factor 497, 498
Material effects 498, 499, 503
Surface disturbance 498
Surface finish effects 498, 500, 503
Surface temperature, importance of 497
Temperature effects 497
Test data 499, 500, 501
Test equipment described 499
Temperature
Factors affecting 498
Heat conduction 502
Importance of 497
Combustion chamber design
L-head 420
Progress 447, 448
Valve-in-head 412
Heads 244; 520, 524, 525
Sleeves 522
Wear
Cylinder bore coating as preventive 226, 227
Data 499, 500
Piston ring coating as preventive 221

D

Detonation

Atmospheric effects, humidity 256, 258
Detonation points 261
Engine factors
Air-fuel mixture ratio 257
Compression ratio 257; 411
Diesel engine 407
Spark advance 257
Speed 258
Throttle 418
Fade-out curves 257, 258, 259
Fuel factors
Additives 258, 259
Diesel fuel 407
Octane number 108; 257, 258; 411, 412, 413
Humidity effects 256, 258
Suppressers 416, 419
Testing
STATUS OF FUEL PERFORMANCE TESTS IN AVIATION ENGINES 271
Aviation gasoline
Cooperative Fuel Research method 271
Cruising rating 271
Take-off rating 272
Engine tests, aircraft 271
Methods
American Society for Testing Materials 413
Cooperative Fuel Research 271; 413
L-3 413
Water injection effects 110, 118

E

Electric Drive

Diesel-electric 1, 2
Gasoline-electric 1, 2
Merits 2
Motorcoach use of 1, 2

PAGE

Engine Design and Construction

LUBRICATION AND ENGINE DEVELOPMENT 519
1941 CAR DESIGN TRENDS 445
Aircraft engine design coordinated with 284
Brake mean effective pressure 411
Compression ratio trends 411, 412; 445, 446, 447
Cooling
Pressure-type 449, 450
Progress 449, 450
Pump
Capacity increase 450
Double-outlet 449, 450
Progress 449, 450
Radiator
Cross-flow 449, 450
Mounting 450
Progress 449, 450
Sealed-type 450
Exhaust
Manifold progress 451
Mufflers 419; 451, 452
Fuel supply system
Gasoline tank progress 451, 452
Progress 450, 451, 452
Pump location 451
Lubricant development compared with 519
Lubrication
Oil filter progress 449
Progress 449
Makes
Buick 447, 448, 449, 450, 451, 453
Cadillac 446, 447, 448, 450, 452, 453
Chevrolet 447, 448, 449, 450, 451, 452, 453
Chrysler 364; 446, 447, 449, 452, 453
De Soto 446, 452
Dodge 446
Ford 446, 448, 452
Hudson 447, 448, 450, 452, 453
LaSalle 446
Lincoln 446, 447, 452
Mercury 448, 452
Nash 446, 448, 450, 453
Oldsmobile 447, 448, 449, 450, 451, 453
Packard 448, 450, 451, 453
Plymouth 446, 447, 448, 449, 452
Pontiac 447, 448, 449, 450, 451, 452, 453
Studebaker 363; 446, 452, 453
Willys 447, 450, 452, 453
Mounting
Progress 453
Rubber 453
Piston displacement trends 411
Power trends 411, 412; 446, 447
Progress 446; 519
Size trends 412
Starters, progress 453
Trends 411, 412

(See also Bearings; Carburetors and Carburetion; Crankcases; Crankshafts; Cylinders; Detonation; Engine Operation and Performance; Engines, Aircraft; Engines, Diesel; Engines, Motorcoach; Engines, Motor-Truck; Engines, Oil; Foreign Design and Operation; Fuels; Gasoline; Ignition; Pistons; and Valves and Valve Gear)

Engine Operation and Performance

EFFECTIVENESS OF THE BURNING PROCESS IN NON-KNOCKING ENGINE EXPLOSIONS 526
ENGINE COMBUSTION AND PRESSURE DEVELOPMENT 25
ENGINE DEPOSITS AND THE EFFECT OF SOME FUEL ADDITIVES 250
Combustion
Air-fuel mixture ratio effects
26, 27, 28, 29, 30, 40, 41, 42, 44, 45, 46, 47
Burning process, effectiveness of 532
Data analyzed 35, 37, 39
Efficiency, thermal 528
Energy losses 526, 528, 538, 539, 541, 542, 543
Engine deposits 250
Exhaust gas dilution effects 30, 32
Flame pictures
26, 27, 28, 29, 31, 32, 33, 34, 35, 36, 37, 38, 39; 526, 527, 528, 529, 530, 531, 532, 533, 534, 537, 538, 539, 540
Flame propagation
Time required 29
Unsymmetrical 28, 29, 30

PAGE

Engine Operation and Performance (Concluded)

- Flame turbulence 541
- Fuel type effects 250
- Heat losses 528, 537, 539, 540, 546, 547
- Ignition effects, spark location 26, 27, 30, 40, 41, 44, 46, 47
- Indicator diagram 548
- Inflamed volume 35, 36, 37, 39, 40, 41
- Inflammation rate 526
- Internal energy 536
- Mass burned
  - Engine condition effects 44
  - Pressure rise relation to 42, 43, 44
- Pressure data 29, 30, 37, 42, 43, 44, 45, 47; 526, 528, 532, 534, 536, 539, 540, 547, 548
- Pressure rise
  - Data 45, 46
  - Mass burned relation to 42, 43, 44
- Rate of 541, 542, 543
- Stratification 48
- Tables 544, 545
- Testing
  - Constant-pressure method 535, 537
  - Constant-volume method 533, 537
  - Data summarized 539, 543, 544, 545
  - Experimental data, description of 528, 529
  - Photographic methods 25; 526
  - Plaster casts used 532
  - Thermodynamic charts used in 526, 532, 533, 534, 535, 537, 538, 540, 548
- Throttle opening effects 26, 27, 29, 30, 34, 35, 40, 41, 44, 47
- Unscavenged gas 543

Deposition equilibrium 250, 254, 255, 256, 257, 259, 260
Deposits, fuel 250
Engine deposits
- Additive effects 251, 260
- Bibliography 261
- Cycling 253, 254
- Fuel type effects 250
- Humidity effects 252, 256
- Testing 250
- Thermal conductivity 253, 254
- Time relation to 259

Equilibrium 250, 251, 260
Fuel consumption, fuel additive effects 259
Lubricating oil temperature 315
Running-in process 85, 90
Testing
- Combustion 25; 526
- Deposits 250

Varnish formation 358, 359
Wear, superfinish as preventive 90
Wearing-in process 85, 90

(See also Bearings; Carburetors and Carburetion; Crankcases; Crankshafts; Cylinders; Detonation; Engine Design and Construction; Engines, Aircraft; Engines, Diesel; Engines, Motorcoach; Engines, Motor-Truck; Engines, Oil; Foreign Design and Operation; Fuels; Gasoline; Ignition; Oil Filters; Pistons; Supercharging; and Valves and Valve Gear)

Engines, Aircraft

- AIR FORCES ON RADIAL AIR-COOLED ENGINE COWLING 370
- ALTITUDE AND THE AIRCRAFT ENGINE 421
- DESIGN PROBLEMS IN THE QUANTITY PRODUCTION OF AIRCRAFT ENGINES 18
- ECONOMIC ASPECTS OF LIGHT AIRPLANE ENGINES 284
- GEARED ENGINES FOR LIGHT AIRPLANES 301
- HIGH-OUTPUT AIRCRAFT ENGINES 106
- MORE POWER FROM LESS ENGINE 504
- PERFORMANCE OF AIRCRAFT SPARK-IGNITION ENGINES WITH FUEL INJECTION 166
- PROBLEMS OF SUBMERGED ENGINE INSTALLATIONS 68
- PROGRESS IN LIGHT AIRCRAFT ENGINES 243
- PROPELLER REQUIREMENTS FOR SUBMERGED ENGINE INSTALLATIONS 191

Accessory drives 430
Airflow
- Diagrams 371, 373, 374, 379
- Equations 372, 373
- Factors governing 372, 373
- Propeller effects 378, 379, 380

PAGE

Engines, Aircraft (Continued)

Altitude effects
- Design problems 430, 431
- Fuel consumption 427, 428, 429
- Manifold pressure 422, 423, 431
- Power 421, 422, 423, 424, 425
- Reduction-gear ratio requirements 431
- Supercharging 421, 424, 425, 426, 427

Aluminum used in 215; 462, 463
Barrel type 504
Brake mean effective pressure 175
Combustion chamber types
- Design requirements 176
- Disc 166, 173
- Pent-roof 166
- Spherical 166, 167

Combustion systems
- Barrel-type requirements 516, 517, 518, 519
- Four-stroke gasoline 516, 517, 518
- Two-stroke diesel 516, 518, 519

Cooling
- Air
  - Cowling effects 370
  - Fuel injection testing with 166
  - Liquid compared with 106, 118
- Direct 106
- Indirect 106
- Liquid
  - Air-cooled compared with 106, 118
  - Coolant temperature, thermostatic control of 114, 115
  - Evaporative 115
  - Frontal area 106
  - Fuel injection testing with 166
  - Merits 106, 108
  - Pressure water cooling
    - Advantages 115, 116
    - Glycol cooling compared with 115, 116
    - Nose header tank 116

Cowling
- Aerodynamic forces 370, 396
- Airfoil pressure distribution relation to 371, 372, 377
- Air loads
  - Calculated 393, 394, 395, 396
  - Curves, average, construction of 391
  - Factors affecting 390
- Airplane balance affected by 396
- Diameter 378, 379, 380
- Drag affected by 389; 504
- Engine conductivity 376
- Flaps 376, 377
- Flight tests
  - Procedure 381, 382, 383
  - Results discussed 387, 388
- Loading curves, average, construction of 391
- National Advisory Committee for Aeronautics type 370
- Pressure curves, average, integration of 392
- Pressure curves comparable 377
- Pressures, surface
  - Data
    - Methods of applying 390
    - Methods of obtaining 389
    - Summary of 396
  - Distribution
    - Angle of attack 373, 374, 375
    - Circumferential 375
    - Curves 373, 374, 381, 382, 383, 384, 385, 386, 387, 394
    - Reynolds number 376
    - Slipstream twist 379, 380
    - Unsymmetrical 374, 375, 379
    - Yawing 375
  - Factors affecting 371, 372, 377, 378, 389
  - Propeller effects 380
  - Testing 381
- Strength requirements, importance of 370
- Structural design
  - Importance of 370
  - Speed relation to 376
- Wind-tunnel tests
  - Procedure 383, 384
  - Results discussed 384, 385, 386, 387

Crankless 507
Crank mechanism 505, 506
Cylinder types
- Barrel
  - Combustion systems 516, 517, 518, 519

PAGE

Engines, Aircraft (Continued)

- Cooling 516
- Cylindrical cam mechanisms 506, 508, 509, 510
- Merits 504, 505, 506
- Piston displacement 505, 519
- Swashplate and slipper mechanisms 506, 507, 508
- Wabbler mechanisms 510, 511, 512, 513, 514, 515

Double-type 504
Drag relation to 504
Frontal area 504, 517, 519
H-type 504
Number of cylinders 517, 518
Radial 370; 504
Size factor 517, 518
Designs described 506
Detonation limitation 108
Diesel
- THE PERFORMANCE OF MODERN AIRCRAFT DIESELS 474
- Advantages 478
- Barrel type 504
- Brake mean effective pressure 477, 480, 481
- Description 474, 475, 476, 477
- Fuel consumption data 477, 478, 479, 480, 481
- Fuel-operating-cost factor 478, 479
- Gasoline engine compared with 477, 478, 479, 480, 481
- Makes
  - B.M.W. 475, 476, 479, 480, 481
  - Clerget 476
  - Guiberson 476, 477, 479
  - Junkers 474, 475, 476, 477, 479, 480
  - Lanova 475, 476, 480, 481
- Mileage table 479
- National Advisory Committee for Aeronautics development 476, 480, 481
- Progress 474
- Reliability factor 478
- Safety factor 478, 479, 481
- Scavenging 519
- Temperature
  - Exhaust gas 478
  - Exhaust manifold 478
- Two-stroke cycle 516, 518, 519
- Weight factor 477, 479, 480, 481; 519

Drag
- Cowling effects 504
- Frontal area effects 504

Exhaust system
- Design requirements 116, 117
- Manifolds, ejector-type 116, 117

Fuel consumption
- Altitude effects 428, 429
- Data 427, 428
- Direct injection effects 176
- Factors affecting 429, 430
- Fuel type effects 175, 176
- Power relation to 428
- Supercharging effects 427, 428

Fuel feeding
- Direct injection
  - Carburetion compared with 166, 171, 172, 176
  - Combustion chamber types 166, 167, 173, 176
  - Cost factor 248
  - Cylinder injection 166, 168, 176
  - Design described 245, 246, 247, 248
  - Factors involved 166
  - Ice formation prevented by 248
  - Intake-manifold injection 166, 168, 176
  - Light aircraft use of 245
  - Merits 166, 171, 172, 176; 245
  - Testing 166, 176
  - Valves, injection
    - Location 168, 169, 170, 176
    - Types 167, 168
- Injection period length, effect of 169, 176
- Injection start, effect of 169, 174, 176
- Nozzles
  - Test results 170, 171, 175
  - Types described 168
- Pumps
  - Diaphragm type 167
  - Plunger type 167, 168
- Scavenging 172, 173, 176
- Valve-opening pressure effects 171, 176
- Valve overlap 166, 167, 172, 173, 174, 176

PAGE

Engines, Aircraft (Continued)

Installation problems 106, 107
Interchangeability 107, 108, 118
Inverted arrangement 108
Light-airplane type
- Air-cooled 284
- Automobile equipment used in 285, 290
- Commercial vehicle engine compared with 284
- Design requirements 244, 245; 289, 290
- Electrical system 290
- Fuel injection, merits 245
- Future predicted 249
- Geared
  - Cost factor 301
  - Design described 302, 303
  - Direct-drive compared with 301, 304
  - Future predicted 304
  - Vibration damping 303, 304
- Horizontally-opposed type 284, 301
- Horsepower 284, 288, 289, 301
- Mounting 249
- Oil filter system 290
- Performance data 289, 303
- Privately owned 243
- Progress 243, 249; 284, 290, 301
- Specifications 289, 302
- Student-training type 243
- Testing 249

Location
- Factors involved 118
- Future predicted 106
- Propeller design affected by 191, 194

Lubrication
- Crankcase design effects 22
- Jet, variable 22
- Oil circulating system described 21, 22
- Oil flow control, factors affecting 23
- Oil temperature 248, 249

Makes
- Alfa-Romeo 156
- Allison 153, 154, 156; 477, 479
- Argus 156
- B.M.F. 157
- B.M.W. 156
- Bramo 156
- **Bristol** 155, 156
- Continental 243, 244
- Daimler-Benz 155, 156, 157
- Fiat 157
- Franklin 284, 288, 289
- Gnome-Rhone 154, 155, 156
- Hirth 156
- Hispano-Suiza 154, 155
- Junkers 156
- Kestrel 108
- Lycoming 301, 302, 304
- Pratt and Whitney 148, 149, 150, 157; 371, 380, 381; 477
- Rolls-Royce 106, 110; 154, 155; 477, 479, 480, 481
- Siemens 155
- Villar Perosa 156
- Wright 18; 150, 151, 152, 153, 157; 476, 477, 480, 481

Nacelles
- Fairing 192
- Size 191

Nitrided parts used in 157
Performance
- Formula 422
- Limitations 108
- Methods of increasing 108
- Requirements 271

Power
- Air pressure effects 422
- Air temperature effects 249
- Altitude effects 421, 422, 423, 424, 425
- Cooling air velocity effects 249
- Design effects 504, 519
- Detonation limitation 108, 110, 118
- Fuel consumption relation to 427, 428
- Fuel feeding, direct injection effects 176
- Fuel type effects 175, 176
- Intercooling effects 109
- Manifold pressure effects 422, 423, 431
- Supercharging effects 109; 421, 424, 425, 426
- Trends 18
- Weight relation to 19

PAGE

Engines, Aircraft (Concluded)

Production
- Air-cooled 21; 284
- Automobile equipment used in 285, 290
- Automobile methods used in 284, 288
- Commercial vehicle engine compared with 284
- Design changes
  - Number 19, 20
  - Origin 19
  - Rapidity 19
- Horizontally-opposed type 284
- Inspection 20, 21
- Light-airplane type 284
- Progress 284, 290
- Quantity-production problems 18
- Simplification, increase needed 21, 24
- Testing 288

Progress 18; 422
Reduction gearing 301, 303; 430, 431
Scavenging 22, 23; 172, 173, 176
Speed trends 18
Starting, fuel type effects 175
Submerged
- Conventional compared with 68
- Merits 68
- Object 68
- Problems involved 68
- Propeller requirements 191, 194

Test data summarized 396
Testing
- Altitude performance 422, 423, 429
- Fuel injection 166
- Torque meter used 422, 423, 429, 430

Tests described 381
Torque-meter flight-test data 422, 429, 430
Upright arrangement 108
Vibration
- Damping 303, 304
- Propeller vibration relation to 195, 196

Weight
- Power relation to 19
- Trends 19

(See also Carburetors and Carburetion; Crankshafts; Cylinders: Detonation; Fuels; Gasoline; Ignition; Pistons; Supercharging; and Valves and Valve Gear)

Engines, Diesel

APPLICATIONS OF ALUMINUM IN DIESEL ENGINES 520
CHARACTERISTICS OF DIESEL FUELS INFLUENCING POWER AND ECONOMY 49
REDUCING DIESEL SPECIFIC WEIGHT 165
RELATION OF DIESEL FUEL PROPERTIES TO THEIR ENGINE PERFORMANCE 100
THE CONTROL OF SMOKE IN THE AUTOMOTIVE DIESEL 397

Aluminum used in 520
Automotive use of 397
Barrel type 504
Combustion
- Cetane number effects 102, 104, 136
- Engine design relation to 105, 136
- Engine speed relation to 103, 104
- Fuel type effects 101
- Load relation to 104

Compression ratio, fuel type effects 105
Cylinder types, barrel 504
Design described 520
Exhaust lachrymation 406
Exhaust, smoky 397, 406
Flywheel housings 520, 525
Fuel consumption
- Engine speed relation to 51, 52, 53
- Fuel characteristic effects 49; 100
- Smoky exhaust relation to 397, 404, 406, 407
- Volumetric 50, 51, 53

Fuel feeding
- Engine speed relation to 103
- Injection advance 105, 136
- Nozzles 136

Fuel requirements 100, 136
Gasoline engine compared with 17; 51
Makes
- Cummins 521, 522
- General Motors 2, 11, 15
- Hercules 2
- National Supply Company 520, 524

PAGE

Engines, Diesel (Concluded)

Power, fuel characteristic effects 49
Progress 474
Sensitivity factor 49
Smoke
- Color 407, 408, 420
- Control
  - Fuel economy relation to 397, 404, 406, 420
  - Fuel type effects 404, 405, 406
  - Improvement means 397, 406, 408
  - Power relation to 397, 404, 406
  - Smoke-stop-setting effects 405, 408, 420
  - Test data 404, 405
- Engine condition effects 401, 402
- Engine design effects 400
- Factors involved 397, 398, 406, 407
- Fuel effects
  - Cetane number 397, 399, 400, 401, 406, 408, 420
  - Gravity 400
  - Ignition quality 397, 399, 406
  - Viscosity 399
  - Volatility 397, 399, 401, 406, 408
- Gasoline engine compared with 407
- Operation effects
  - Dynamic conditions 399
  - Equilibrium conditions 398, 405
- Rating 398
- Test data 400, 402, 403, 406, 407

Speed, fuel consumption relation to 51, 52, 53
Starting, fuel type effects 104
Temperature, fuel requirements relation to 104, 136
Testing
- Cathode-ray oscillograph used 100
- Fuel requirements 100

Two-stroke cycle, barrel type used with 516, 518, 519
Weight factor 17
Weight saving 520, 521, 525
Weight, specific 165

(See also Cylinders; Detonation; Engines, Aircraft; Engines, Motorcoach; Engines, Oil; Fuels; Pistons; and Supercharging)

Engines, Motorcoach

Brake mean effective pressure trends 411
Compression ratio trends 411
Diesel
- Data on 2, 11, 15
- Exhaust, smoky 397
- Foreign experience with 397, 406
- Gasoline engine compared with 17
- Smoke control 397
- Weight factor 17

Electric drive used with 1, 2
Mounting
- Rear 2, 13
- Transmission affected by 13, 14, 15, 16
- Transverse 2, 13
- Under-floor 13, 14

Piston displacement trends 411, 418
Power trends 411
Trends 354, 355; 411

Engines, Motor-Truck

MORE POWER PER UNIT GROSS WEIGHT 349

Brake mean effective pressure trends 411
Compression ratio
- Power affected by 354
- Trends 354; 411

Design details 354
Dual 355
Makes
- Hercules 354, 355
- Waukesha 355

Piston displacement trends 411
Power
- Compression ratio effects 354
- Conservation 356, 357
- Increase desired 349
- Trends 350, 351, 352, 354, 355; 411
- Vehicle weight relation to 349

Size 351, 354
Trends 354, 355, 357; 411
Weight factor 366

PAGE

Engines, Oil

PROCESSES IN INJECTION SYSTEMS OF OIL ENGINES 119
Injection system
Analytical treatment 120
Conditions affecting 119
Cylinder-size effects 119
Difficulties encountered 119, 120
Engine speed relation to 122, 124, 127, 132, 133
Experimental results 123
Fuel properties, effects of 126
Injection lag 134, 135, 136
Injection rate 122, 127
Mathematical treatment 128
Nozzles
Dimensions 122, 123, 125, 127
Open 120, 123, 131
Pressure 121, 123, 125, 131, 132, 133, 134, 135
Valves, spring loaded 127, 128, 132
Velocity 122, 125
Pipe length 121, 122, 125, 127, 128, 134, 136
Pumps 121, 123, 127, 128, 131, 132
Requirements 119, 120
Testing 123
Test results summarized 135
Throttle position 133
Valve bounce 135
Testing, fuel injection equipment 123

F

Fleet Operation

Cost factor, speed relation to 419
Oil refiner's relation to 409
Speed factor, cost relation to 419
(See also Motorcoach Design and Operation; and Motor-Truck Design and Operation)

Foreign Design and Operation

MODERN EUROPEAN LIGHT CARS 177
Automobile
Aerodynamism 182
Body design 181, 182, 183
Light cars
Prices 183, 184
Types described 177, 179, 180, 181, 182, 183, 184
Production
Taxation effects 177, 178
Volume 177, 178
Progress 177
Springs, suspension 181
Steering gear 181
Streamlining 183
Transmissions 181
Engines
Aircraft, valves 147, 148, 149, 150, 154, 155, 156
Automobile
Diesel 182
Progress 181, 182
Supercharging 182
Trends 182
Diesel
Light car use of 182
Motorcoach use of 397, 406
Smoke control 397, 406
Motorcoach, Diesel engine used with 397, 406
Road conditions 178
Taxation 177, 178; 548

Frames

UNIT FRAME AND BODY 305
Body attachment to 306
Body unit construction with 305; 460-B, 460-D
Dimensions, trends 460-B
Engine mounting 460-B
Progress 460-B
Research
Conclusions 310, 311
Experimental background 305, 306
Problems involved 305
Ride problem
Factors affecting 307, 308, 309
Gyroscopic effects 308

PAGE

Frames (Concluded)

Road noise 310
Rigidity 306, 308, 309, 311; 460-B
Section types 460-B
Unitary design
Car ride affected by 307, 308
Conventional compared with 308, 310, 311
Cost relation to 307, 311
Factors involved 307
Weight relation to 307, 311
X-member type 306, 311; 460-B

Fuels

CHARACTERISTICS OF DIESEL FUELS INFLUENCING POWER AND ECONOMY 49
DEVELOPMENT OF BUTANE AS A MOTOR-TRUCK FUEL 311
RELATION OF DIESEL FUEL PROPERTIES TO THEIR ENGINE PERFORMANCE 100
Additive compounds 250
Aviation, "safety" type
Flash point 175
Merits 174
Starting requirements 175
Testing 174, 175
Benzene 526, 530, 531, 538
Butane
Engine design relation to 311
Future predicted 311
History 311
Merits 358
Motor-truck use of 311
Usage extent 311
Diesel
Aviation requirements 478, 479
Cetane number 50, 51, 52; 102, 103, 104, 105, 136; 397, 399, 400, 401, 406; 479
Cost 478, 479
Engine design relation to 53
Engine performance relation to 100
Flash point 478, 479
Heating value 49, 52, 53
Ignition quality 49, 50, 51, 52, 53; 397, 399, 406
Physical properties
Viscosity 399
Volatility 397, 399, 401
Research 49
Spontaneous ignition temperature 478, 479
Starting characteristics 407
Trends 53
Viscosity 49, 52, 53
Volatility 49, 51, 53
Distillation curves 174
Fuel additives
Engine deposits affected by 250
Gum-solvency effects 251
History 250
Lubrication affected by 250
Types 250
Fuel-residue ratings 250, 260
Iso-octane 526, 527, 530, 533
Octane number 175
Propane 176
"Safety" type 174, 175
Temperature effects 104, 136
Testing
Diesel 100, 136
Fuel injection 166
"Safety" fuels 174, 175
Varnish formation 358, 359
(See also Detonation, Fuel Factors; and Gasoline)

G

Gasoline

BETTER FUELS FOR BETTER ENGINES 409
Alkylation 416
Amount consumed 409
Antiknock quality 411, 412, 416, 417, 419
Aviation, testing 271
Chemical composition 414, 415, 417
Cost factor 409, 416, 417
Cracking
Catalytic 415, 416
Thermal 415

PAGE

Gasoline (Concluded)

Fleet operators' comments 417, 418, 419, 420
Gum
Definition 414
Engine operation affected by 414
Induction period 414
Inhibitors 414
Low content, importance of 414
Tests 414, 418
Octane number 175; 411, 412, 413, 415, 416, 417, 418, 419, 420
Polymerization 415
Production 415, 416
Reforming
Catalytic 415, 416
Thermal 415
Storage stability 414, 417
Sulfur
Corrosion caused by 413, 414
Doctor test 414
Removal methods 413, 414
Testing
Aviation 271
Correlation difficulties 412, 413
Engine, one-cylinder vs. full scale 271, 272
Fuel injection 166
Methods 413
Tetraethyl lead added to 416, 419
Varnish formation 358, 359
Volatility
Fleet operators' views of 410
Fuel consumption affected by 410
Importance of 410
Oil dilution affected by 410
Power affected by 410
Requirements 410
Trends 410, 417
Vapor-locking tendencies affected by 411
Vapor-pressure relation to 411
(See also Detonation, Fuel Factors; and Fuels)

Gears

LUBRICATING HYPOIDS 53
Camshaft, aluminum used in 520, 525
Covers 520, 525
Hypoid 53; 312, 319, 323; 458
Lubrication 53; 312
Spiral bevel 319, 323
Tooth loads 314, 315, 316
Transmission 456, 457

Generators

Cooling 453
Progress 453

H

Headlighting

THE AUTOMOBILE HEADLAMP PROBLEM 229
Headlamps
Aiming 229, 231, 232
Beam indicator 230
Beam pattern 229
Dual beam 230
Engineering phase 231
Future predicted 231
Glare 232
Multiple beam 230
Sealed-beam
Aiming 231
Car electrical systems improved by 231
Cooperative work on 230
Development 230
Illumination increase 231; 300
Merits 231
Problems involved 230
Usage phase 231
History 229
Polarization
Possibilities 231
Problems 232
Speed relation to 229

PAGE

Highways

(See Roads and Streets)

I

Ignition

CERAMIC INSULATORS FOR SPARK PLUGS 236
SHORTCOMINGS OF MICA INSULATION FOR AVIATION SPARK PLUGS 233
Aircraft
Failure causes analyzed 233
Spark plugs 233; 286, 287
Coil progress 452
Condenser progress 452
Distributor progress 452
Progress 452, 453
Spark advance 452, 453
Spark plugs
Aircraft
Designs described 234, 235
Failure cause and extent 233
Insulators
Mica 234, 235, 236
Porcelain 234
Requirements 286, 287
"Spark-plug complex" 242
Insulators
Ceramic
Clay 236, 237
Feldspar 237
Physical properties 237, 238, 239
Porcelain 234, 236, 238, 239
Quartz 237
Glaze effects 239
Heat effects 237, 238, 239
Mica
History 234
Shortcomings 234, 235, 236
Physical properties required 239, 240, 241, 242
Progress 453
Progress 452, 453
Size 452, 453

Induction

Manifolds
Deposits on 251, 252, 253
Progress 452

Instruments

Camera, high-speed motion 25; 526
Comparator 500
Durometer 436
Dynamic load deformation machine 440
Dynamic oscillator 443
Engine indicator 132
Flexometer 441
Load-deflection machine 436
Profilograph 73
Profilometer 73
Scuffing machine 499
Smoke-meter 398, 408, 420
Strain gages
Cost comparison 496
Types described 470, 471, 472, 473, 496
Torque meter 422, 423
Vibration measurement 443

K

Knock

(See Detonation)

L

Legislation

HIGHER TAXES AND LOWER INCOMES – EFFECT ON CAR DESIGN 548
Aluminum usage affected by 520
Car design affected by 548
European 548
Taxation 177; 341; 548

PAGE

Lighting

Courtesy lights 453
Progress 453
Stop lights 453
Tail lights 453
(See also Headlighting)

Lubricants and Lubrication

FUNDAMENTAL MECHANICAL ASPECTS OF BOUNDARY LUBRICATION 54
LUBRICATING HYPOIDS 53
LUBRICATION AND ENGINE DEVELOPMENT 519
Bearing surface temperature relation to 497, 498
Bibliography 366
Boundary lubrication
Definition 54
Extreme 62, 63
High-pressure 62
High-temperature 61, 62
Mechanical aspects 54; 503
Mild 54, 60, 61
Nomenclature 60, 61, 63
Pressure 54, 55, 58, 59, 60, 61, 62, 63
Rubbing surfaces
Contact
Concentrated 55, 56, 57, 58
Dispersed 55, 58, 59
Hertzian theory 55, 56
Vibrations, frictional 63, 64, 65, 66, 67, 68
Temperature 54, 55, 57, 58, 60, 61, 63; 498
Types 54, 60, 61, 62, 63
Engine development compared with 519
Extreme-pressure
Term criticized 63
Testing-machine results 320
Friction types 86, 87
History 85, 86
Hypoid lubricants
"All-purpose" 323, 324
Requirements **53; 323, 324**
Test data 319, 320, 321, 323
Oiliness 88
Oil oxidation 358, 361
Progress 85; 449; 519
Sludging 364
Superfinish relation to 89
Surface finish relation to 85
Testing
Oil film strength vs. surface smoothness 89
S.A.E. oil-testing machine used 89, 90
Varnish formation 358, 359
Viscosity 87
Wear
Analysis of 86
Surface finish effects 86, 90
(See also Automobile Operation and Performance; Engine Design and Construction; Engine Operation and Performance; Engines, Aircraft; Gears; Oil Filters; and Transmissions)

M

Materials

MODERN AIRCRAFT MATERIALS AND THEIR TESTING 461
Aircraft
Aluminum 462, 463
Beryllium 462
Copper 463
Economic factor 461
Fabrication methods, new 466
Magnesium 462, 463
Metallic, physical properties 463
Need for new types 461
Nickel 464
Non-metallic, physical properties 465
Plastics 464, 465, 466
Steel 462, 463, 464
Strain-testing technique 470, 471, 472, 473, 496
Stress-strain curves 466
Simplification factor 461
Testing 466
Weight saving 461
Wood 464, 465
(See also Metals; Plastics; Rubber)

PAGE

Metals

Aircraft use of 462, 463
Beryllium, aircraft use of 462
Copper, aircraft use of 463
Magnesium
PRODUCTION OF MAGNESIUM-ALLOY AIRCRAFT PARTS 325
Aircraft use of 325, 331; 462, 463
Anodic treatment 328
Casting 325
Composition 326, 327
Corrision resistance 325, 326
Dowmetal 325
Extruded form 329, 330
Forging 329
Heat treatment 325
Machinability 328
Mechanical properties 327, 329, 330
Painting 331
Riveting 331
Sheet 330
Uses 326
Welding 331
Nickel, aircraft use of 464
Nickel-chromium alloy
Physical properties 113
Valve use of 113
Sodium, physical properties of 165
Testing, Brinell method 70
(See also Aluminum and Aluminum Alloys; Bearings; Corrosion and Corrosion Prevention; and Steels)

Motor

(See Engine)

Motorcoach Design and Operation

POWER TRANSMISSIONS FOR BUSES 1
Diesel electric 1, 2, 3
Gasoline electric 1, 2
London Transport experience 3
Makes
ACF 1, 2, 12, 14, 15, 16
Leyland 8, 9, 16
Mack 13, 14, 16
Twin Coach 2, 12, 13, 14, 16
White 1, 2, 12, 14, 15, 16
Yellow Coach 1, 2, 6, 7, 13, 15
Propeller shafts 13, 14, 15
Trolley buses 2, 3
(See also Axles; Bodies; Clutches; Engines, Motorcoach; and Transmissions)

Motor-Truck Design and Operation

MORE POWER PER UNIT GROSS WEIGHT 349
TRUCK PERFORMANCE STUDY OF THE PUBLIC ROADS ADMINISTRATION 185
Cost decrease 350
Grade ability 185; 349, 354, 357
Hill-climbing tests
Factors involved 186, 187
Methods and equipment 186, 187, 190, 197
Purpose 185
Results 187, 188, 189, 190, 197
Improvements needed 356, 357
Makes
Autocar 350
Chevrolet 355, 356
Dodge 349
General Motors 11; 351, 352
International Harvester 349, 353
Mack 350, 351, 353
White 349, 354
Power-weight ratio
Curves 350, 351, 353
Importance 349
Improvement means 349, 353
Progress 350, 351, 352
Rating formula 186
Rolling resistance 187
Speed 357
Weight
Chassis-gross vehicle ratio 349
Reduction means 357, 366

PAGE

Motor-Truck Design and Operation (Concluded)

- Tare-weight decrease 357, 366
- Trends 350, 351, 352
- Wind resistance 187

(See also Axles; Bodies; Engines, Motor-Truck; and Tires)

N

National Advisory Committee for Aeronautics 166; 370; 476, 480, 481

National Chiropractors Association 278

National Defense

- A PLAN FOR AIRCRAFT EXPANSION 92
- Aircraft expansion
  - Plan for 92
  - Problems involved 92

Navy 520, 525

Noise

- Materials compared 442
- Vibration properties of sound 442

O

Oil Filters

- Aircraft engine use of 21, 22; 290
- Automatic 24
- Design described 449
- Manual 24
- Precipitation type 449
- Progress 449
- Self-cleaning 24
- Valve deposits, reduction of 364

P

Pistons

- LOAD-CARRYING-CAPACITY PHENOMENA OF BEARING SURFACES 497
- PISTON-RING COATINGS AND THEIR EFFECT ON RING AND BORE WEAR 221
- Aircraft
  - Design 24; 288
  - Progress 24
  - "Uniflow" type 24
- Aluminum used in 520, 522
- Design features 24; 288
- Heads
  - Carbon deposition 252, 253, 255, 259
  - Removable 253
- Pins 448
- Progress 448
- Rings
  - Bearing surfaces
    - Cavitated surfaces 502
    - Failure causes 497
    - Interrupted surfaces 501, 502, 503
    - Load carrying capacity
      - Bearing area relation to 500, 501, 503
      - Friction relation to 498
      - Lubrication factor 497, 498
      - Material effects 498, 499, 503
      - Surface disturbance 498
      - Surface finish effects 498, 500, 503
      - Surface temperature, importance of 497
      - Temperature effects 497
      - Test data 499, 500, 501
      - Test equipment described 499
    - Lubrication 497, 498, 503
    - Temperature
      - Factors affecting 498

PAGE

Pistons (Concluded)

- Heat conduction 502
- Importance of 497
- Coatings
  - Altinizing 222
  - Chemical
    - Ferrox 221, 222
    - Grafotox 221, 222
    - Granoseal 221, 222
    - Graphitox 221, 222
    - Surfide 221, 222, 223
  - Metallic 221, 222, 223
  - Oil adsorption 223
  - Uncoated rings compared with 227, 228
  - Usage extent 221
  - Wear reduced by 223, 224, 225, 226, 227, 228
- Progress 448
- Scuffing 221, 222, 223, 224, 225, 226, 227, 228; 499, 500, 501, 503
- Wear
  - Data 499, 500, 501, 503
  - Ring coating as preventive 223, 224, 225, 226, 227, 228
- Width 448; 501, 503

Seizure 226, 227

Tin-plated 448

Wear
- Cylinder coating as preventive 226, 227
- Ring coating as preventive 223, 224, 225, 226, 227, 228

Wrist-pin-hole finishing 448

Plastics

- PLASTICS AND THEIR USES IN THE AUTOMOTIVE INDUSTRY 198
- Aircraft use of 202, 204, 207, 214; 344; 464, 465, 466
- Applications 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 214
- Automotive use of 199, 201, 202, 203, 204, 205, 207, 208, 210, 214, 220
- Body use of 460-D
- Commercial development summarized 210
- Cost factor 214
- Disadvantages 214
- Fabrication methods 200, 201, 202, 203, 204, 205, 206, 207, 208, 209
- Future predicted 203, 214, 220
- History 198
- Manufacturers 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209
- Merits 214, 220
- Metal compared with 214
- Molding methods
  - Compression 210
  - Extrusion 213
  - Hydraulic, direct 213
  - Importance 210
  - Injection 212
  - Machines used 211, 212
  - Transfer 212
- Progress 203, 214
- Properties 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210
- Trade names 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210
- Types
  - Acrylic resin 207
  - Alkyd resins 209
  - Bitumen 201
  - Butyrate 208
  - Casein 202, 203
  - Cast phenolic 205
  - Cellulose-acetate 203, 204
  - Cellulose-nitrate 199, 200
  - Coumarone-indene resins 209, 210
  - Esters, mixed 208
  - Ethylcellulose 208
  - Lignin 209
  - Phenol-formaldehyde 201, 202
  - Polystyrene 206, 207
  - Pyroxylin 199, 200
  - Shellac 200
  - Thermoplastic 199
  - Thermosetting 201, 214, 220
  - Urea-formaldehyde 204, 205
  - Vinyl resin 205, 206

SUBJECT INDEX

PAGE

Production

A NEW METHOD OF TESTING AND GRADING FINE ABRASIVES 332
SUPERFINISH 69
Aircraft
  Materials
    Cold-working 466, 467
    Fabrication methods, new 466
    Need for new types 461
    Strain-testing technique 470
  National Defense affected by 92
Casting
  Die casting 329
  Magnesium 325
Cylinders 285, 286
Engines, aircraft, light-plane type 284
Extrusion, magnesium 329, 330
Finish
  Abrasive grading 332, 336, 339, 340
  Honing 339, 340, 341
  Surface finish
    Importance of 69, 71
    Lubrication affected by 85, 86, 87, 88, 89, 90, 91, 92
    Measurement of 73
    Merits 71
    Metallurgical aspects 81, 82, 83, 84
    Methods described
      Burnishing 77
      Grinding 75, 76, 77
      Honing 77, 78
      Lapping 78
      Sandpapering 76, 77
      Turning 74, 75
    Nomenclature 71, 72, 73
    Specifying, difficulties in 69, 70, 73
  Superfinish 69, 92; 332, 341
Forging, magnesium 329
Mass production, foreign 177
Sheet, magnesium 330
Superfinish
  Abrasives
    Bond grading
      Hardness factor 334, 335, 336, 337, 338, 340
      Importance of 332, 340
      Methods described 334, 335, 336, 337, 338
    Structure, limitations imposed by 336, 337
    Testing 334, 335, 336, 337, 338, 339, 340
  Engineering advantages 92
  History 70, 71
  Lubrication affected by 85, 86, 87, 88, 89, 90, 91, 92
  Machines used 91, 92
  Manufacturing advantages 92
  Merits 71, 80, 85, 90, 92
  Metallurgical aspects 83, 84
  Other methods compared with 80, 90
  Reproducibility 85
  Stones
    Cutting characteristics 335
    Hardness factor 334, 335, 336, 338, 340
    Selection
      Factors involved in 336, 340, 341
      Graph used to aid in 333, 338
    Testing 334, 335
  Technique described
    Lubricant 80
    Machine used 91, 92
    Multimotion 79
    Pressure, abrasive 79
    Speed
      Abrasive 80
      Operating 80
    Time element 80, 92; 333, 335
    Tool, bonded abrasive 78, 79
  Wear decreased by 90

(See also Aircraft Design and Construction; and Engines, Aircraft)

Public Roads Administration 185

R

Riding Qualities

RIDING COMFORT AND CUSHIONS 482
UNIT FRAME AND BODY 305
Comfort, dynamic 485, 494, 496
Comfort, static 485, 494, 495, 496

PAGE

Riding Qualities (Concluded)

Factors affecting 305, 308, 309; 482, 483, 484, 485
Fatigue, discussion of 483, 484, 485, 495
Gyroscopic effects 308
Passenger reaction factors 484
Physiological data 492, 493, 494, 495
Research 305; 482
Testing
  Instruments used 485
  Seat cushions 485
  Universal Test Seat used 485
Vehicle design effects
  Body 305
  Frame 305
  Seats
    Contour 278, 279
    Cushions 273, 283; 482
    Spring location 489
  Springs, suspension 273
  Structural effects 307
  Wheel-and-body tie-up 308
Vehicle motions affecting
  Acceleration 484, 495
  Force 484
  Velocity 484

Rims

(See Tires and Rims)

Roads and Streets

THE TRAFFIC CONGESTION PROBLEM 341
TRUCK PERFORMANCE STUDY OF THE PUBLIC ROADS ADMINISTRATION 185
Research 185
Tax diversion 341
Traffic
  Congestion problem 341
  Research 185
  Truck performance relation to 185
  Vehicle speed factor 185, 186, 197

Rubber

ENGINEERING PROPERTIES OF RUBBER IN COMPRESSION 432
Automotive use of 432
Body use, seat cushions 440, 441
Compression characteristics 432
Design considerations 432, 433, 434, 435, 442, 443
Dynamic properties
  Creep 434, 441, 442
  Hysteresis 434, 440, 441
  Load deformation 433, 434, 435, 436, 440
Form factor 434, 438
Hardness 434, 436, 437, 438
Load deformation 433, 434, 435, 436, 440
Noise absorption 442
Permanent set 434, 439
Physical properties 434
Service performance 443
Spring, suspension, use 459, 460, 460-A
Steering system use 460-B
Stiffness 434, 437
Temperature factor 434, 439
Vibration formulas 444

S

Safety

(See Accidents and Accident Prevention)

Shock Absorbers

Direct-acting 459, 460
Hydraulic 459
Progress 459, 460, 460-A

Springs, Suspension

Camber adjustment 460-A
Front
  Coil 460, 460-A, 460-B
  Deflection rate 460-A

PAGE

Springs, Suspension (Concluded)

- Design described 460
- Frequency 460-B
- Independent 460, 460-B
- Leaf 460-A
- Length 460-A
- Progress 460
- Shackles **460-A**

Independent wheel **273**
Progress 273
Rear
- Coil 459
- Deflection rate 460
- Frequency 460
- Leaf 459
- Length 460
- Progress 459
- Shackles 460
- Stabilizer 459

Ride stabilizer 460-A
Riding qualities affected by 273
Rubber used in 459, 460, 460-A
Types described 459, 460, 460-A

Springs, Valve

Overhaul **163**
Steel 162
Valve troubles due to 161, 162

Standardization Activities, S.A.E.

Air cleaner test code, proposed 294

Steels

Aircraft use of 148, 149, 154, 155, 164, 165; 462, 463, 464
Analyses 164, 165
Crankcases 23
Duralumin compared with 23
Engine, aircraft, crankcases 23
Stainless, aircraft use of 463, 464
Valve 148, 149, 154, 155, 164, 165; 448

Steering Systems

Progress 460-B, 460-C
Rubber used in 460-B
Steering ratio 460-B
Types 460-B, 460-C

Streets

(See Roads and Streets)

Supercharging

Aircraft
- Altitude performance 421, 424, 425, 426, 427
- Diesel
  - Data 479, 480
  - Fuel type relation to 479
- Fuel consumption affected by 427, 428
- Intercooling 109; 424, 426, 427
- Mean effective pressure affected by 109, 118
- Power affected by 109; 424, 425, 426, 427
- Two-speed 424, 425, 427
- Two-stage 424, 425, 427

Booster, Clark automatic 355, 356, 357
Fuel consumption affected by 413, 418, 427, 428
Intercooling 109; 424, 426, 427
Motor-truck 355, 356, 357
Roots type 166
Turbo type 176; 424, 426, 427

T

Testing

Aircraft
- Fuel tank sealing 292
- Materials 466

Automobile
- Seat cushions 279, 280, 281, 282; 482
- Universal Test Seat used 485

Bearings 93
Bearing surfaces, load carrying capacity 497
Bench Test Apparatus 261
Crankshaft wear 93
Engine
- Combustion, photographic methods 25
- Fuel deposits 250

PAGE

Testing (Concluded)

Engine, aircraft
- Altitude performance 422, 423, 429
- Cowling 381
- Fuel injection 166
- Light engines 249
- Problems involved 431

Engine, Diesel
- Fuel requirements 100, 136
- Fuel type effects 49
- Smoke control 404

Engine, oil
- Fuel injection systems 123
- Indicator, cathode ray 132

Fuel
- Aircraft, "safety" type 174, 175
- Deposits 250
- Diesel 49; 100, 136; 404

Metals, Brinell method 70
Piston ring wear 223, 224, 225, 226, 227, 228
Transmission 11, 12
(See also Detonation, Testing; and Instruments)

Tires and Rims

NEW LIFE IN FLEET TIRES 48
Motor-truck, retreading 48
Retreading methods 48
Rim width trends 458, 459
Safety rim design 458
Size trends 458, 459

Traffic

(See Roads and Streets, Traffic)

Transmissions

AXLE AND TRANSMISSION LUBRICATION 312
POWER TRANSMISSIONS FOR BUSES 1
Automatic 2, 3, 5, 6, 8; 455, 456, 457
Constant-mesh 12, 13
Cooling 9
Drive, angle of 13, 17
Drive ratios, requirements 3
Electrical propulsion
- Designs described 1, 2
- Merits 1, 16
- Single vs. dual 1, 2

Engine-mounting effects 13, 14, 15, 16
Fluid coupling 5
Fluid drive 89; 455, 456
Fluid flywheels
- Cost factor 3
- Design described 5
- Future predicted 16
- Maintenance 5, 6
- Merits 5
- Planetary combined with 2, 3, 5

Gear ratios 456
Gearshifting 3, 5, 9, 10, 11, 12; 445, 454, 456, 457
Gear tooth loads 314, 315
Horizontal 12, 13
Hydramatic 445, 456, 457, 458
- Automatic 5, 6, 8
- Control 8, 9
- Demonstration unit described 8
- Design described 6, 9
- Direct drive 8
- Efficiency 8, 17
- Field for 16, 17
- Foreign use of 17
- Fuel consumption affected by 9, 16, 17
- Grade ability 9, 16
- History 6, 9, 17
- Liquid flow 6, 7
- Merits 6, 8, 9, 16
- Motorcoach use 8
- Semi-automatic compared with 8, 9, 16, 17
- Synchromesh compared with 8, 9, 16, 17
- Test results 17
- Turbine element 6, 7

Hydro-kinetic coupling 5
Lubrication
- Constant-mesh 13
- Overdrive 314, 315
- Recommendations 314
- Seasonal changes 312, 313, 314

PAGE

Transmissions (Continued)

- Synchromesh 10
- Temperature 315
- Viscosity 315
- Makes
  - Ljungstrom 6
  - Lysholm-Smith 6
  - Mono-Drive 16, 17
  - Wilson 2, 3, 4, 5
- Motorcoach
  - Current designs reviewed 1
  - Problems involved 1
- Multiple-speed 4, 12, 13
- Overdrive 314, 315; 456, 457
- Planetary, semi-automatic
  - Acceleration affected by 9, 16
  - Cost factor 3
  - Design described 3, 4, 5
  - Fluid flywheel combined with 2, 3
  - Fuel consumption affected by 9, 16
  - Grade ability 9, 16
  - History 2
  - Hydraulic compared with 8, 9, 16, 17
  - Maintenance 3
  - Merits 16, 17
  - Synchromesh compared with 8, 9, 16, 17
  - Usage extent 2, 3
- Progress 445, 455, 456, 457
- Semi-automatic 2, 3, 4, 5, 8, 9, 16, 17
- Synchromesh
  - Acceleration affected by 9, 16
  - Design described 10, 11
  - Fuel consumption affected by 9, 16
  - Gearshifting affected by 9, 10, 11, 12
  - Grade ability 9, 16
  - History 9
  - Hydraulic compared with 8, 9, 16, 17
  - Merits 9, 10, 11, 12
  - Motorcoach use 9, 10
  - Motor-truck use 10, 11
  - Semi-automatic compared with 8, 9, 16, 17
  - Synchronizer elements described 10
  - Testing 11, 12
- Types compared 8, 9, 16, 17
- Underdrive 455, 456, 458
- Vertical 12, 13
- Weight factor 17

Transportation

- Passenger comfort 342
- Types compared 342, 344, 345

Truck

(See Motor-Truck)

U

United States Bureau of Mines 411, 414

V

Valves and Valve Gear

- MODERN AIRCRAFT VALVES 147
- THE PROBLEM OF VALVE-STEM AND VALVE-HEAD DEPOSITS 358
- Aircraft
  - Automobile compared with 358, 359, 362
  - Cleaning, electrolytic 159
  - Constant-clearance device desirable 150
  - Cooling 112, 118; 147, 149, 151, 153, 154, 158, 162
  - Cylinder head design
    - Fin design 148, 149, 151, 155, 156
    - Progress 148, 150
  - Deposits 358, 359, 361, 365
  - Design developments 147, 158
  - Exhaust 112, 113; 148, 153, 154, 155, 157, 163, 166, 167
  - Failure causes 160, 161
  - Gas flow
    - Data 152, 153
    - Test apparatus 152
  - Grinding 162, 163, 164
  - Guides 150, 162, 163
  - Guttering 160, 161, 162
  - Head design
    - Forging technique relation to 147
    - Hollow 147, 149, 154, 158

PAGE

Valves and Valve Gear (Concluded)

- Injection 167, 168
- Intake 148, 153, 154, 155, 156, 157, 158, 163, 166, 167
- Leakage 164
- Lubrication
  - Forced 148, 149, 150, 152
  - Pressure pump used 152
- Manufacture, details of 158, 159, 160
- Operating problems 160, 161
- Retainer locks 149, 157
- Servicing 162, 163
- Steels 148, 149, 154, 155, 164, 165
- Tappet fits 154
- Temperature 148
- Trends 156, 157, 158
- Valve overlap 166, 167, 172, 173, 174, 176
- Wear 150, 162

Bibliography 165

Coating, stellite 112, 113, 118

Cooling
- Salt 151
- Sodium 112, 118; 147, 149, 151, 153, 154, 158, 162

Deposits
- Aircraft and automobile compared 358, 359, 362
- Analyses 358, 365
- Classification 358, 359
- Color 359, 361
- Fuel factor 358, 359, 363
- Oil filter effects 364
- Oil oxidation effects 358, 361
- Remedies 361, 362, 363
- Solvents as removal means 364
- Trouble caused by 358

Exhaust
- Cooling 112, 118
- Lead attack
  - Temperature effects 112, 113
  - Theories regarding 112, 118

Foreign developments 147, 148, 149, 150, 154, 155, 156

Guides 150, 162, 163; 363, 364, 365

Heads
- Deposits on 358
- Hollow 364

Intake, deposits on 358, 359, 361

Life of 147

Lifters
- Hydraulic 287, 288, 290; 448
- Steel 448

Nickel-chromium merits 113

Progress 448

Requirements met by 147

Rotating 363

Seats
- Aircraft
  - Angle 153
  - Inserts 148, 153, 164
  - Steels 148, 154, 155; 287; 364
  - Troubles encountered 358
- Diesel, aluminum-bronze 524

Sleeve
- Disadvantages 113, 114
- Factors governing use of 113
- Merits 118
- Poppet compared with 113, 118

Stellite coating 112, 113, 118

Stems
- Aircraft 151, 153, 154, 155, 157, 158, 163, 164
- Deposits on 358, 361, 363, 364
- Lubrication 363; 449
- Sodium-cooled 112, 118; 147, 149, 151, 153, 154, 158, 162; 364
- Temperature 358, 361
- Two-diameter 363, 364

Sticking, reduction means 363, 365

Temperature 148; 358, 359, 361, 363, 364

Timing 287; 448

Trends 156, 157, 158

W

War

Bombing
- DANGERS OF BOMBING 270
- Problems involved 270

Welding

- Magnesium 331
- Spotwelding, aircraft use of 293

General Editorial Section

Author Index

Author	Title of Paper	Page
Aiken, N. J.	The Growing Emphasis on Human Administration	Se 14
Albright, F. C.	Experience on Integral Fuel Tank Construction	Ap 23
Alden, R. C.; H. M. Trimble, and M. G. Blair	Vaporization Characteristics of Current Winter Motor Fuels	Ag 25
Alison, N. L.	Fluid Power Transmission	No 21
Appel, W. D.	Effect of Increased Taxation and Lower Net Income on the Automobile of the Future	No 37
Bachle, Carl F.	Progress in Light Aircraft Engines	Ap 23
Baierlein, G. W.	Effect of the Viscosity of the Fuel Oil on the Injection Equipment for Oil Engines	Fe 47
Baldwin, D. M.	State Motor Vehicle Inspection from the Standpoint of Safety	My 14
Barger, E. L.	Observations on Tractor Fuels – Characteristics and Requirements	Ag 25
Barish, Thomas	The Use and Abuse of Ball Bearings	De 35
Barnes, James P.	Chrysler Fluid Drive	No 40
Bartholomew, J. R.	Two-Speed Axles	Ag 24
Bartholomew, Niles	Welded Fuel Tanks – Design, Construction and Maintenance	Ap 24
Bartlett, H. B.	Comparative Weight and Cost of Body and Frame	Jl 28
Bartoe, Willard F.	Testing of Transparent Plastics	Fe 58
Baster, Forest M.	The Future Field for Gasoline Engines	Jn 22
Bates, M. F.	Automatic Flight	Jn 23, 30; Je 30
Batt, W. L.	What's Ahead for Management	Fe 18
Beall, A. L.	Ceramic Spark-Plugs Re-enter Aviation	Fe 37
Beall, A. L., and M. H. Young	Comparison of C.U.E. Engine Installations	Jl 53
Becker, A. E., and G. H. B. Davis	The Effect of Volatility on Correlation of Road and Laboratory Ratings	Fe 50
Beecroft, David	The Next Thirty-five Years	(P) Jl 19
Benkert, L. M.	Design for Welding	Jl 69
Berlin, Don R., and Peter F. Rossmann	Engineering Considerations in Aircraft Design to Permit Application of Automobile Mass Production Methods	De 22
Bevan, G. T. M.	Farm Tractors	Ap 16
Biggar, P. E.	Diesel Engines	Jn 31
Bissell, T. A.	Technical Highlights of the 1940 Passenger Cars	Jn 32
Blackwood, A. J.; W. J. Sweeney, W. W. Manville, and G. H. Cloud	The Control of Smoke in the Automotive Diesel	Fe 47
Blair, M. G.; R. C. Alden, and H. M. Trimble	Vaporization Characteristics of Current Winter Motor Fuels	Ag 25
Blanc, L. A.	An Attempt to Develop a Special Diesel Fuel	De 15
Blume, N. L., and H. C. English	Hydra-Matic Transmission	Ap 31
Boate, T. N.	State Motor Vehicle Inspection from the Viewpoint of a Policeman	My 15
Bodine, A. G.	Practical Analysis of the Combustion and Chemical Characteristics of Butane	Jl 76
Boston, O. W., and H. L. Moir	A New Study of Cutting-Fluid Recommendations	Je 14
Bottenberg, K. C.; L. A. McReynolds, and H. M. Trimble	The Effect of Variations of Air-Fuel Ratio on Octane Number Ratings Obtained on 1939 CFR Road Test Fuels	Fe 50
Bradshaw, Theron	Piston Rings and the Last Inch of Travel at the Top of the Bore	Je 26
Bray, Ulric B.	Modern Diesel Lubricants for the Modern Diesel	De 13

Abbreviations Used:

Months of the Year

January, Jn	April, Ap	July, Jl	October, Oc
February, Fe	May, My	August, Ag	November, No
March, Mr	June, Je	September, Se	December, De

(P) indicates paper published in full.

AUTHOR INDEX

Author	Title of Paper	Page
Brettell, Clinton, and W. J. Cumming	Automotive Diesel Engines in Mass Transportation	Ap 29
Brettell, Clinton, and W. J. Cumming	Diesels at Work	Mr 24
Bridgeman, O. C.	Report of CFR Committee on Aviation Vapor-Lock Investigation	De 22
Brooks, Donald B.	C.F.R. Motor Survey Report	Fe 64
Brown, R. W.	Engineering Properties of Rubber in Compression	Jl 22; No 40
Brown, T. C.	Engine Lubrication Experience in the Forest Service	Jn 23
Bruce, C. S.	Progressive Changes of Octane-Number Requirement with Mileage	Fe 50
Brunson, Lieut. Col. Mark V.	SAE-QMC Advisory Committee Activities	Se 11, 16
Buckwalter, T. V., and O. J. Horger	Photoelasticity as Applied to Design Problems	Ap 27
Buren, Newton	Pistons and Piston Rings	De 38
Cadwell, S. M.; R. A. Merrill; C. M. Sloman, and F. L. Yost	The Dynamic Fatigue Life of Rubber	Ag 27
Callahan, William C.	America's Automotive Industry	De 36
Cambou, E. J.	Applications of the Hydrodynamic Coupling in Automotive Power Transmissions	My 32
Campbell, J. M.	Knocking Characteristics of Individual Hydrocarbons as an Aid in the Interpretation of the Behavior of Gasolines in Engines	Fe 50
Candish, J. B.	Modern European Aircraft Engines	Je 28
Carswell, T. S.	Plastics in the Automotive Industry	My 28
Carvelli, Gustaf	Standardization of Aircraft-Engine Components	De 25
Catlin, A. A., and A. F. Underwood	An Instrument for the Continuous Measurement of Piston Temperatures	Jl 63
Chase, Herbert	Heating, Ventilating and Cooling of Passenger Cars	Fe 35
Chilton, Roland	Aircraft Engine Reduction Gears and Torque Meters	De 24
Chittick, M. B.	Rationalizing Lubricating Greases	De 16
Christmas, Lieut. Col. J. K.	Tanks and Other Automotive Ordnance	De 14
Church, H. K.	Heavy Automotive Haulage in Construction and Industry	No 25
Clayden, A. Ludlow	Hypoid Lubrication for Passenger Cars and Trucks	Jn 29
Cloud, G. H.; A. J. Blackwood, W. J. Sweeney, and W. W. Manville	The Control of Smoke in the Automotive Diesel	Fe 47
Colwell, A. T.	Modern Aircraft Valves	Mr 17
Colwell, A. T.	The Problem of Valve-Head and Valve-Stem Deposits	Jl 52
Colwell, A. T.	"War Wings"	My 27
Cooper, James B.	Altitude Conditioning of Aircraft Cabins	De 24
Cornelius, Walter, and Lloyd Withrow	The Effectiveness of the Burning Process in Non-Knocking Engine Explosions	Jl 60
Cox, Dale	The Contribution of Power Farming to National Security	No 21
Cox, John C.	Hydraulic Brakes	Mr 26
Cronstedt, Val	The Shortcomings of Mica as an Insulator Material in Aviation Spark Plugs	Fe 38
Cronstedt, Val	Special Problems in the Production of Aircraft Engines	Je 15
Cumming, W. J.	Bus Engine Wear	Ag 24
Cumming, W. J., and Clinton Brettell	Automotive Diesel Engines in Mass Transportation	Ap 29
Cumming, W. J., and Clinton Brettell	Diesels at Work	Mr 24
Davies, Gomer L.	Air-Track System of Landing	Jn 31
Davies, J. M.	Power Equipment for Earth Movement	Ag 26
Davies, W. W.	Passenger Comfort in Commercial Aviation	Ap 25
Davis, G. H. B., and A. E. Becker	The Effect of Volatility on Correlation of Road and Laboratory Ratings	Fe 50
De Arce, L. Ponton	Airway Traffic Control	Ag 17
Dix, E. H. Jr., and R. B. Mears	Aluminum Aircraft Fuel Tanks	Fe 42
Doane, Harry C.	Growing Interest in Direction Signals	Fe 36
Doman, C. T.	Economic Aspects of Light Airplane Engines	Ap 26
Drinkard, W. E.	Engine and Fuel Variables	Fe 50
Drummond, R. S.	Modern Methods of Gear Manufacturing	My 26
DuBois, Ralph N.	Altitude Performance of High Output Aircraft Engines	Jl 28
Duckworth, John	Effect of Carbon on Octane Number	Fe 50
Eads, Ottie, and W. T. Tiffin	Metal Cutting Tests Using Butane, Propane and Acetylene	Ag 26
Edwards, James A.	Lubrication	Ag 17
Ellis, Robert E., and W. J. Sweeney	Availability and Characteristics of Aviation Safety Fuels	Fe 39
Emmons, Claude E.	Extreme Pressure Lubricants	Fe 59

Author	Title of Paper	Page
English, H. C., and N. L. Blume	Hydra-Matic Transmission	Ap 31
Faber, R. L.; W. G. Perriguey, and C. R. Stewart	Streamlined Engine Maintenance	Jn 29; Ag 28
Fales, Dean A.	Design Suggestions Resulting from Road Testing for Safety	Jl 20
Fales, Dean A.	The Latest Trend in Passenger Cars	De 14
Faulkner, F. L.	Factors in Engine Wear	Ag 24
Fenner, D. C., and M. C. Horine	How Motor Trucks May Develop	Ag 27
Fisher, L. C., and W. E. Lay	Riding Comfort and Cushions	Jl 25
Flanders, R. E.	Industry and the Job Problem	Je14
Flogaus, Howard A.	Unconventional Transmissions	Fe 56; Ag 30
Forster, Walter J.	Passenger Comfort in a Modern Air Transport	Ap 25
Fox, L. W., and A. L. MacCracken	New Life in Fleet Tires	Mr 30
Franklin, Lee	Bettering the 1940 Automobile	Jn 22
Franzen, Tore	Notes on Recent Developments of Passenger Motor Vehicle Suspensions	Je 25
Fraser, Oliver, Jr.	Some Uses of Stainless Steel in Aircraft Construction	De 21
Gagg, R. F.	Current Status of Fuel Performance Tests in Aviation Engines	Fe 41
Gagg, R. F.	Surface Finish Control in Machine Shop Practice	Je 24
Gay, Errol J.	A Gasoline Man Looks at Fleet Management	No 36
Gay, Errol J.	Instrumentation and Its Effect on Motor-Vehicle Maintenance	Fe 45
Gay, Errol J.	Ton Miles Per Hour, or Miles Per Gallon?	Mr 18
Gephart, Valentine	Industrial Cleaning Methods and Materials as Related to the Automotive Industry	Ag 26
Geschelin, Joseph	Analysis of the Engineering Design Features of the 1940 Cars	Jn 23
Geschelin, Joseph	Mechanical Features of the 1941 Passenger Cars	De 18
Getschman, Walter E.	Automotive Maintenance	Fe 57
Gibson, H. J., and Cleveland Walcutt	Fuel Distribution in Multicylinder Engines and Its Effect on Knocking and Performance	Fe 50
Gill, H. V.	The Design, Operation and Maintenance of Diesel Electric Locomotives	Mr 25
Graf, S. H.	Internal-Combustion Engine Fuels	Se 13
Gray, Carl R., Jr.	Modern Streamlined Railroading	Ag 24
Gray, H. Liggett	Automotive Maintenance Cleaning Operations	Ag 25
Green, C. M.	Aircraft Engine Operation	No 35
Gregg, David	Cabin Supercharging	Ap 30
Grigsby, H. R.	Maintenance and Utilization of a Public Utility Fleet	Ag 27
Grunder, Lawrence J.	Accurate Comparative Road Testing of Fuels	Fe 59; Ag 29
Habermann, C. E., and A. E. Traver	Description of a Road-Test Knockmeter	Fe 50
Hagenloch, W. F.	New 1940 Carburetion	Fe 60
Hall, E. S.	More Power from a Smaller Engine	Ap 15
Hamilton, D. E.	Hydra-Matic Transmission	Fe 57
Harrison, E. F.	M-G-H Performance Meter	Ag 26
Harvey, Paul	Operation and Maintenance Applied to Newspaper Service	Fe 55; Ag 28
Haskell, Raymond	Alkylation as a Source of "Safety Fuels"	Fe 39
Hausamann, G. J.	Accessories and Flying Aids and Their Contribution to the Safety of Aviation	Fe 61
Hays, G. T.	Spark Plug Performance	My 32
Hebl, L. E.	Development Work on Gasolines and Lubricating Oils	Mr 25
Hemingway, E. L.	A Method of Testing and Grading Fine Abrasives	Je 16
Herrington, A. W.	Our Defense Program and What Comes After	No 21
Hess, Wendell F., and Robert A. Wyant	The Spot Welding of Automobile Grade Mild Steel	Fe 44
Hester, Clinton M.	Air Transport	Ap 13
Hetenyi, Miklos	Photoelastic Analysis	Fe 62
Hewitt, Ashley C.	Small High Speed Single Sleeve Valve Engine	Fe 58; Ag 30
Higginbotham, R. R.	Air Forces on Radial Air-Cooled Engine Cowling as Determined from Pressure Distribution Tests	Fe 43
Hill, J. Bennett	New Antiknock Motor Fuels	De 35
Hite, Walter	Plastics in Aircraft	Je 32; Jl 68
Hoehn, V. H.; Clyde R. Paton, and E. D. Pickard	Seat Cushions and the Ride Problem	Fe 17
Hoenicke, Edward C.	Permanent Mold Castings	Ap 28
Holaday, W. M.	Safety Fuels by Catalysis	Fe 39
Holmes, H. R.	Four-Wheel Drive Trucks	Ap 21
Horger, O. J., and T. V. Buckwalter	Photoelasticity as Applied to Design Problems	Ap 27
Horine, M. C., and D. C. Fenner	How Motor Trucks May Develop	Ag 27

AUTHOR INDEX

Author	Title of Paper	Page
Howard, H. H.	A Diesel Engine for Track-Type Tractor Service	Je 27
Hubner, W. H.	Better Fuels for Better Engines	Jl 57
Huff, Leo	Problem of Maintaining Appearance of Motor Vehicles	Jl 60
Hundsdorfer, George	Electrical Equipment	De 37
Hurn, James E.	Oil Filtering As It Affects the Lubrication and Wear of Engines	Mr 28
Ide, Elmer C.	Diesel Engines and Fuels	Mr 26
Jackson, J. E.	Wear Resistant Coatings	Jl 55
Jackman, K. R.	Modern Aircraft Materials and Their Testing	Je 32
James, W. S.	Axle and Transmission Lubrication	Fe 17
Jardine, Frank	New Applications of Aluminum in High-Speed Diesel Engines	Jl 55
Johnson, Clarence L.	Rudder Control Problems on Four-Engined Airplanes	Fe 42
Johnson, Stephen, Jr.	Air Brakes	Mr 26
Johnson, Stephen, Jr.	Brakes—Maintenance, Analysis and Balancing	De 38
Jones, J. B.	Oiliness	Jl 73
Karpinski, K. K.	Engine Bearings	Je 27
Kavanagh, F. W., and L. H. Mulit	Lubricating Oil For Internal Combustion Engines	Se 12; No 38
Kelley, Russell T.	Canada's Problems After the War	No 34
Kelsey, Capt. B. S.	Blitzkrieg and Total War	No 33
Kent, P. J.	The Automobile Headlamp Problem	Fe 36; Ap 30
Kerby, Roy D.	Canada's Automotive Industry—Pace Setter in War Production	De 36
Ketcham, Howard	Color Selection with Relation to Truck and Bus Body Designs	Mr 30
Keys, Walter C.	Automotive Mechanical Rubber	Fe 60
Kishline, F. F.	Recent Opinions on Varnish in Engines	Fe 16
Kline, Gordon M.	Plastics and Their Uses in the Automotive Industry	Fe 37
Knocke, L. T.	Dodge Diesel-Engine Design and Operation	Ap 29
Knocke, L. T.	On the Road With Dodge Diesel	De 12
Krotz, A. S.	Rubber Suspension	Ag 26
Kuhe, Harry	Gasoline Selection and Carburetion	De 38
Kunkle, Bayard D.	Correlating Engineering and Manufacturing	Fe 55
Lane, Paul	Engine Wear—Its Relation to Microstructure and Hardness	Jn 33; Ag 28
Larson, C. M.	Severe Duty Engine Conditions as Related to Oil and Fuel	Jl 62
Laurie, G. W.	Factors Affecting Engine Wear	Ag 24
Lautzenhiser, Fred B.	Suggested Method for Load or Capacity Rating of Motor Trucks	Jn 28
Lay, W. E., and L. C. Fisher	Riding Comfort and Cushions	Jl 25
Lee, Lowell W.	Clipper Service	Fe 62
Letsinger, P. E.	The Future Field for Diesel Engines	Jn 22
Lighton, L. E., and H. C. Riggs	Observations on the Cranking of Diesel Engines	Fe 48
Livingstone, C. J.	Engine Deposits	Fe 58; My 29
Loening, Grover	Recent Aeronautical Developments in the War	No 32
Lucke, Charles Edward	The Automotive Diesel Engine	Mr 24
Macauley, J. B., Jr.	Gasoline, Cars and Surveys	Fe 64
MacCracken, A. L., and L. W. Fox	New Life in Fleet Tires	Mr 30
MacKenzie, A. C.	Maintenance and Operation of Motor Coach Fleets in Australia	Mr 17
MacMorland, Lieut. Col. Edward E.	The Role of the SAE in National Defense	Jl 19
MacPherson, J. H.	The Use of the Electric Field in the Study of Flame Propagation	My 32
Manville, W. W.; G. H. Cloud, A. J. Blackwood, and W. J. Sweeney	The Control of Smoke in the Automotive Diesel	Fe 47
Marshall, Samuel W.	The Pennsylvania Super Highway	De 18
Martin, J. V., and R. A. Miller	Airline Equipment Maintenance	De 37
Martz, L. S.	Producing Specified Finishes by Honing	Je 15
Mathes, J. C.	Magnesium Alloys in the Aircraft Industry	De 21
McCance, P. H.	Motor Vehicles Are Tools	My 13
McCortney, W. J.	The Economics of Substituting Synthetic Rubber in Automobiles	De 15
McIntyre, H. J.	Scientific Shop Management	Se 15
McKee, S. A.	The Load-Carrying Capacity of Journal Bearings	Fe 64
McKee, S. M.	Has Lubrication Kept Pace with Engine Design?	Je 27
McMurtrie, R. A.	Choosing Proper Lubricating Oils	De 37

Author	Title of Paper	Page
McReynolds, L. A.; H. M. Trimble, and K. C. Bottenberg	The Effect of Variations of Air-Fuel Ratio on Octane Number Ratings Obtained on 1939 CFR Road Test Fuels	Fe 50
Mead, Robert R.	More Power Per Weight in Engines	My 32
Mears, R. B., and E. H. Dix, Jr.	Aluminum Aircraft Fuel Tanks	Fe 42
Meehan, R. P.	Present Day Truck Diesel Engine Practice and Problems	Fe 57; Ag 29
Menz, C. N., and T. R. Stenberg	A Critical Study of Brake Lining Testing Methods	Ag 27
Merrill, R. A.; C. M. Sloman; F. L. Yost, and S. M. Cadwell	The Dynamic Fatigue Life of Rubber	Ag 27
Miller, F. L.	Bearing Corrosion and Lubricants	Jn 30
Miller, R. A., and J. F. Martin	Airline Equipment Maintenance	De 37
Mitchell, J. M.	Proper Application of SAE Steels	Mr 18
Moir, H. L., and O. W. Boston	A New Study of Cutting-Fluid Recommendations	Je 14
Moir, Harry L., and J. A. Moller	Engine Deposits and the Effect of Some Fuel Additives	Fe 45
Moller, J. A., and Harry L. Moir	Engine Deposits and the Effect of Some Fuel Additives	Fe 45
Monson, Earl L.	Car Heating	Ap 31
Moreland, Watt L.	SAE Membership Declared "A Continuing Education"	Jn 29
Morgan, V. K.	The Paxton Motograph Principle of Operation	Ag 28
Mulit, L. H., and F. W. Kavanagh	Lubricating Oil For Internal Combustion Engines	Se 12; No 38
Nikirk, F. A.	Earth Moving Equipment and the Engineer	No 25
Nutt, Arthur	It Can Happen Here	De 12, 24
Nutt, Arthur	Lessons Learned From the European Aircraft Industry	Oc 13; No 36; De 17
Nutt, Arthur	The Standardization Problem in the Aircraft Industry	De 25
Nutt, Arthur	What's Going on in the Air	Mr 18; Ap 16
Page, G. A., Jr.	Transport Airplane Development with Particular Reference to the Curtiss-Wright Twenty	Jn 30
Paine, William B.	Brakes and the Application of Vacuum Power	Mr 26
Parke, Peter	Railway Passenger Cars for High Speed Service	(E) Mr 14; Ag 24
Parkhill, C. L.	Utilization of Butane in Heavy-Duty Automotive Equipment	Jl 76
Parrish, William	Internal-Combustion-Engine Bearing Loads	My 32
Parsons, C. B.	What Is It All About?	Ag 27
Paton, Clyde R.; E. D. Pickard, and V. H. Hoehn	Seat Cushions and the Ride Problem	Fe 17
Patras, Floyd	Sludging and Other Lubricating Problems	Jl 73
Patterson, Robert P.	Motorization Policy of the Army	(E) No 18
Pepersack, F. J., and C. R. Roberts	"Mareng Cell" Fuel Tank Construction	Ap 23
Perriguey, W. G.; R. L. Faber, and C. R. Stewart	Streamlined Engine Maintenance	Jn 29; Ag 28
Peterson, C. D.	Commercial-Vehicle Gear Boxes	Jl 69
Peterson, C. D.	Multispeed Transmissions	Ag 24
Phillips, Col. Eric	Improvement in Safety Glass	Mr 17
Pickard, E. D.; V. H. Hoehn, and Clyde R. Paton	Seat Cushions and the Ride Problem	Fe 17
Pierce, Erold F.	Altitude and the Aircraft Engine	Jl 28
Pigott, R. J. S.	Gasoline Economy	My 13
Pope, A. W., Jr.	The C.U.E. Cooperative Universal Engine Design for Aviation Engine Single-Cylinder Research	Jl 52
Price, Nathan C.	Problems Relating to Control of Flow in Superchargers	De 24
Prutton, C. F., and A. O. Willey	Hypoid Lubricants	Ag 25
Prutton, C. F., and A. O. Willey	The Use of Small-Scale Single-Cylinder Engines for the Evaluation of Motor Oils	Jl 61
Ragsdale, E. J. W.	The Inside Story of a Weld	Ag 25
Ramsey, Robert P.	Supercharging High Speed Four-Cycle Diesel Engines	Fe 46
Ray, Jean Y.	Improvements Needed in Chassis Lubrication	Jl 60
Riddle, F. H.	Ceramic Insulators for Spark Plugs	Fe 38
Riggs, H. C., and L. E. Lighton	Observations on the Cranking of Diesel Engines	Fe 48
Risk, T. H.	CFR Road Tests 1939—The Effect of Mileage or Car Use on the Road Antiknock Value of Different Fuels	Fe 50
Ritchie, P. C.	The Multi-Fuel Engine, a New Internal Combustion Engine that Can Follow the Fuel Trends	Ag 26
Robbins, J. E.	Quiet Gasoline Engine Propelled Apparatus	Je 26
Roberts, C. R., and F. J. Pepersack	"Mareng Cell" Fuel Tank Construction	Ap 23
Roberts, E. A.	Developments of Passenger and Racing Car Tires	Je 32
Roensch, Max M.	New Engine Developments	Ag 27
Rosen, C. G. A.	Diesel Development Trends	Je 25
Rosen, C. G. A.	Full Scale Engine CFR Progress Report	Jl 54

*(E) indicates excerpt published.

AUTHOR INDEX

Author	Title of Paper	Page
Rossmann, Peter F., and Don R. Berlin	Engineering Considerations in Aircraft Design to Permit Application of Automobile Mass Production Methods	De 22
Rothrock, A. M.	A High-Speed Motion-Picture Study of Normal Burning, Knock, and Preignition in a Spark-Ignition Engine	Ap 15
Rothrock, A. M.	Fuel Rating – Its Relation to Engine Performance	Mr 18; Ap 28
Rummel, R. W.	Maintenance Development in Light Aircraft	De 16
Sabina, J. R.	"Doped" Motor Oils	My 28
Sandretto, P. C.	Aircraft Electricity as the Airline Operator Sees It	De 20
Scaife, A. J.	Opportunities for Mechanical Engineers in the Automotive Industry	My 26
Schaaf, Ferd J.	Transportation Follies	Se 11
Schaefer, R. M.	Hydraulic Drives in Industrial Service	Jn 32; Je 29; Ag 28; No 25
Schamehorn, A. J.	Contribution of Proving Ground to Constant Improvement of Automobiles	Ap 16
Schey, Oscar W.	Performance of Aircraft Spark-Ignition Engines with Fuel Injection	Jn 34; Ap 14
Schipper, J. Edward	Trends in Automotive Design	Jn 28; Ag 27
Secor, Douglas	A New Aerial Camera	Fe 58
Shangraw, C. C.	Auxiliary Power Equipment	De 20
Sherman, D. W.	Unit Frame and Body Construction	Jl 74
Shidle, Norman G.	The Automobile Industry – 1941 Model	De 36
Shoemaker, F. G.	Advances of the Diesel Engine in Transportation	Jn 28
Sloman, C. M.; F. L. Yost; S. M. Cadwell, and R. A. Merrill	The Dynamic Fatigue Life of Rubber	Ag 27
Smith, E. K.	Cast Iron Cylinder Bores: Observations on Microstructure, Composition, Hardness and Wear	Jn 33; Ag 28
Smith, E. W. P.	Cost Reduction as Studied by Use of Celluloid Models and Polarized Light	Jl 69
Smythe, Col. R. E.	The Part Industry Must Play in the War	Jn 22
Spencer, H. S.	Plastics	Fe 60; My 31
Staub, Charles R.	Ground Form Finishing Hobs	Fe 44
Stenberg, T. R., and C. N. Menz	A Critical Study of Brake Lining Testing Methods	Ag 27
Stewart, C. R.; W. G. Perriguey, and R. L. Faber	Streamlined Engine Maintenance	Jn 29; Ag 28
Stoneburner, H. J.	Airplane Load Factor – What It Is and What It Means	Ag 17
Stout, William B.	The Second Coming of Aviation	De 12
Swanson, Carl E.	Supercharged Aircraft Ignition Harnesses	De 23
Sweeney, W. J., and Robert E. Ellis	Availability and Characteristics of Aviation Safety Fuels	Fe 39
Sweeney, W. J.; W. W. Manville, G. H. Cloud, and A. J. Blackwood	The Control of Smoke in the Automotive Diesel	Fe 47
Symington, W. W., Jr.	The Correlation of Wind Tunnel and Flight Test Results	Fe 43
Tattersfield, E. E.	History and Future of Butane as a Motor Truck Fuel	Jl 76
Taussig, W. A.	Establishing Proper Preventive Maintenance Periods in Fleet Operations	Jl 59
Taussig, W. A.	Operating and Maintenance Problems on Diesel Engines in Bus Service	De 13
Taylor, C. F.	An Analysis of the Charging Process in the Two Stroke Engine	Jl 54
Taylor, C. F.	Superchargers	Jn 29
Taylor, C. G.	Light Plane Development and Utilization	Ap 25
Teetor, Macy O.	Load Carrying Capacity Phenomena of Bearing Surfaces	Jl 55
Templin, E. W.	How Changes in Models Affect Automotive Maintenance	Mr 30
Templin, E. W.	Piston Ring and Cylinder Wear	Jl 59
Thee, Major Walter C.	Standardization and Simplification of U. S. Army Motor-Vehicle Equipment	Ag 26
Thompson, F. L.	Criterion of Vertical Fin Area for Modern Airplanes	Ap 24
Thompson, J. T.	Standardization Applied to Aircraft Design	De 25
Thompson, J. Trueman	Truck Performance Study of the Public Roads Administration	Mr 18
Tiffin, W. T., and Ottie Eads	Metal Cutting Tests Using Butane, Propane and Acetylene	Ag 26
Towers, A. E.	Maintenance and Operation of Motorcoach Fleets	Mr 17
Traver, A. E., and C. E. Habermann	Description of a Road-Test Knockmeter	Fe 50
Treiber, O. D.	Diesel Developments	My 30
Tretton, James P.	Operation and Maintenance of Gas Buses and Trolley Coaches	Mr 19
Trimble, H. M.; M. G. Blair, and R. C. Alden	Vaporization Characteristics of Current Winter Motor Fuels	Ag 25
Trimble, H. M.; K. C. Bottenberg, and L. A. McReynolds	The Effect of Variations of Air-Fuel Ratio on Octane Number Ratings Obtained on 1939 CFR Road Test Fuels	Fe 50
Trundle, George T., Jr.	Basic Industrial Problems of National Defense	No 33

Author	Title of Paper	Page
Underwood, A. F.	Corrosion of Bearing Materials	Jn 30
Underwood, A. F., and A. A. Catlin	An Instrument for the Continuous Measurement of Piston Temperatures	Jl 63
van der Horst, Hendrick	Chrome Plating of Wearing Surfaces	Je 30
Van Zandt, J. Parker	An Engineer Looks at Air Transportation	Je 29
Veal, C. B.	Too Old to Learn?	Ag 25
Vedovell, R. J.	Developed Methods Recommended for Sealing Dirt, Grease, and Oil	Mr 28
Villette, Val	Air Brake Developments, Past, Present and Future	Ap 27
Walcutt, Cleveland, and H. J. Gibson	Fuel Distribution in Multicylinder Engines and Its Effect on Knocking and Performance	Fe 50
Wallace, J. H.	Vapor-Phase Cooling for Internal Combustion Engines	Je 26
Warner, John A. C.	Current SAE Activities	Mr 18; Ap 16
Warner, John A. C.	The SAE in National Defense	No 36; De 17
Watson, R. A.	Major Causes for Bearing Failures	Se 16
Watson, R. A.	Oil Cooling and Its Relation to Bearing Life	My 30
Weaver, Henry G.	Customers' Desires	My 25
Weeks, Col. Paul	Tools and Equipment for Earth Moving in Highway Construction	Fe 60
Weitz, C. E.	Demonstrations of Recent Developments in Light and Lighting	Fe 15
Werner, Ralph	Multi-Stop Delivery Vehicles	Fe 49
Whitaker, Harry	Bearing Adjustment and Replacement	De 38
White, S. O.	What Are the Desirable Characteristics of an Automatic Transmission?	Je 25
Whitfield, Randolph	Some Economic Aspects of Utility Fleets	My 14
Wiegman, Clarence	Geared Engines for Light Airplanes	Ap 23
Wiggers, John	Practical Use of Truck Performance Formulas	Se 13
Wilkinson, Paul H.	The Performance of Modern Aircraft Diesels	Fe 40
Willey, A. O.	Hypoid Gear Lubrication	Fe 59; Ag 29
Willey, A. O., and C. F. Prutton	Hypoid Lubricants	Ag 25
Willey, A. O., and C. F. Prutton	The Use of Small-Scale Single-Cylinder Engines for the Evaluation of Motor Oils	Jl 61
Williams, A. J.	Aviation and the National Defense Program	No 32
Williams, L. W.	The Oil Filter's Contribution to Tractor Progress	Mr 28
Winchcombe-Taylor, Lieut. J.	Fighting Vehicles	Jl 68
Winslow, Charles A.	Modern Development of Lubricating Oil Conditioning During Engine Operation	Mr 28
Witham, W. A.	Hypoid Gears in Passenger Cars and Trucks	Jn 29; Ag 28
Withrow, Lloyd, and Walter Cornelius	The Effectiveness of the Burning Process in Non-Knocking Engine Explosions	Jl 60
Wolf, Austin M.	Increased Power per Unit Gross Weight	Jl 57
Wolf, H. R.	Crankcase Oils for Heavy-Duty Service	De 16
Wood, Donald	Aeronautical Research	No 35
Wood, John G.	The Economic Aspect of Chevrolet Engineering	Jn 29
Worthington, W. H.	Proposed Air-Cleaner Test Code	Mr 28
Wyant, Robert A., and Wendell F. Hess	The Spot Welding of Automobile Grade Mild Steel	Fe 44
Yates, T. L.	Dynafocal Suspension for Radial Aircraft Engines	Fe 58; Ag 30
Yost, F. L.; S. M. Cadwell; R. A. Merrill, and C. M. Sloman	The Dynamic Fatigue Life of Rubber	Ag 27
Young, F. M.	Temperature Control of Oil Used as a Lubricant and Internal Coolant	Mr 28
Young, M. H., and A. L. Beall	Comparison of C.U.E. Engine Installations	Jl 53
Youngren, Harold	Hydra-Matic Transmission	Fe 56; My 16, My 25
Yount, Barton K.	The Present Trend in Design and Size of Military Aircraft	Ag 25
Zimmermann, Paul G.	Some Simple Methods of Speeding Up Airplane Production	De 21

Subject Index

PAGE

A

Accidents and Accident Prevention
- Aircraft
  - Automatic pilot — Jn 30, 31
  - Diesel engine effects — Fe 40
  - Fuel factor — Fe 39, 40
  - Ice formation, reduction of — Fe 62
  - Ignition factor — Fe 38
  - Pilot fatigue reduced — Fe 61
  - Progress — Fe 61
  - Propeller — Fe 61
  - Radio — Fe 61
  - Safety devices described — Fe 61
  - Safety increase — Fe 61; Ap 13; Je 30
- Automobile
  - Carbon monoxide — Jl 21, 22
  - Causes analyzed — Jl 20, 21, 22
  - Design factors
    - Body — Jl 21
    - Center-of-gravity — Jl 21, 22
    - Direction signals — Fe 36
    - Glass, safety — Jn 22; Mr 17
    - Headlighting — Jn 22; Fe 36
    - Rims — Jl 22
    - Steering ratio — Jl 21, 22
    - Styling — Jl 21
    - Tires — Jl 22
    - Visibility — Jl 21, 22
    - Windshields — Jl 21, 22
  - Driver responsibility — Jl 21, 22
  - Speed factor — Jl 21
- Blackout demonstration — Se 26
- Motorcoach, anti-roll-back devices — Jl 72
- Motor-truck
  - Ability rating — Jn 11, 12, 13
  - Performance requirements — Jn 11, 12, 13
- Preventives
  - Inspection, compulsory — My 14, 15
  - Metal-testing by polarized light — Fe 62
  - Speed-limit enforcement — My 16
- S.A.E. cooperation — Jn 11
- Safety increase — Fe 61; Ap 13; My 14; Je 30

Aeronautical Chamber of Commerce of America — Mr 13; Ag 12, 13

Air Cleaners
- Oil-bath type — Jn 24
- Test code, proposed — Mr 28, 30

Air Conditioning
(See Bodies)

Aircraft Design and Construction
- Accessories — De 20
- Aluminum used in — Fe 42; Je 32
- Beryllium used in — Je 32
- Cabin
  - Air conditioning — Ap 25
  - Altitude conditioning — De 24
  - Bump eliminator — Ap 25
  - Heating — Ap 25
  - Improvements — Ap 25
  - Pressurizing — Ap 25; De 24
  - Supercharging — Ap 30
  - Ventilation — Ap 25; De 24
- Design described — Jn 30
- Electrical equipment — De 20
- Fin, vertical — Ap 24
- Fuel tanks
  - Aluminum — Fe 42
  - Corrosion — Fe 42
  - Integral — Ap 23
  - "Mareng cell" — Ap 23, 24
  - Stainless steel — Ap 24
  - Weight factor — Ap 24
  - Welded — Ap 24
- Fuselage structure, trends — Ap 24

PAGE

Aircraft Design and Construction (Concluded)
- Future predicted — Jn 30
- Landing
  - Air-Track system — Jn 31
  - Instrument — Jn 31
- Light airplanes
  - Definition — De 16
  - Demand for — De 16
  - Design requirements — Ap 26
  - Geared engine developed for — Ap 23
  - Progress — Ap 23, 25, 26
  - Trends — Ap 26; De 16
- Magnesium used in — Je 32
- Makes
  - Bell — My 27
  - Boeing — My 27; Je 28; De 24
  - Brewster — My 27
  - Consolidated — My 27
  - Curtiss — Jn 30; My 27; Je 28
  - Douglas — My 27; Je 28; De 20
  - Grumman — My 27
  - Lockheed — My 27
  - Martin — My 27
  - Northrop — My 27
  - Seversky — My 27
  - Timm Trainer — Jl 68
  - Vought-Sikorsky — My 27
  - Vultee — My 27
- Materials, weight saving relation to — Je 32
- Multi-engine design problems — Fe 42, 43
- Plastics used in — Je 32; Jl 68, 69
- Production
  - Automobile methods compared with — De 22
  - Automobile production methods applied to — De 22
  - Cost factor — De 22
  - Mass production methods applied to — De 22
  - Problems — De 21, 22
  - Speeding-up — De 21
- Progress — Jl 34
- Propellers, constant-speed, merits — My 27
- Radio, supercharged aircraft ignition harnesses — De 23
- Steel used in — Je 32
- Testing
  - National Advisory Committee for Aeronautics — No 36
  - Wind tunnel — No 36
- Trends — Jl 34
- Vertical fin area, deficiencies in — Ap 24
- War effects — My 27
- Weight saving
  - Importance — Je 32
  - Material effects — Je 32

(See also Accidents and Accident Prevention; Aircraft Operation and Performance; Aviation; Engines, Aircraft; and Instruments)

Aircraft Operation and Performance
- Automatic flight — Jn 23, 30; Je 30
- Axes of rotation — Jn 23
- Control, gyroscopic — Jn 23, 30
- Drag
  - Reynolds Number — Fe 43
  - Testing — Fe 43
  - Turbulence — Fe 43
- Fin, vertical, effects — Ap 24
- Flight engineer, duties of — No 35
- Future predicted — Jn 30
- Gyroscopic control — Jn 23, 30
- Helicopter flight — Jl 51
- Light airplanes
  - Future predicted — Ap 26
  - Insurance problems — Ap 26
  - Number increased — Ap 25
  - Ownership turnover — Ap 26
  - Progress — Ap 25, 26
- Maintenance program outlined — De 37
- Maneuverability — Jn 23
- Multi-engined planes, rudder control problems of — Fe 42, 43
- Navigation, accuracy of — No 35
- Noise reduction, progress — Ap 25

Abbreviations Used:

Months of the Year

January, Jn	April, Ap	July, Jl	October, Oc
February, Fe	May, My	August, Ag	November, No
March, Mr	June, Je	September, Se	December, De

PAGE

Aircraft Operation and Performance (Concluded)

- Passenger comfort
  - Design relation to — Ap 25
  - Factors affecting — Ap 25
  - Progress — Ap 25
  - Wing loading effects — Ap 25
- Payload — Jn 30
- Piloting
  - Flying-hour requirement — Ap 26
  - Training — Ap 25
- Progress — Jl 34, 35
- Rudder-control problems
  - Design relation to — Fe 42
  - Feathering effects — Fe 43
  - Multi-engined planes — Fe 42
  - Power loading relation to — Fe 42, 43
  - Solutions advanced — Fe 42
- Safety
  - Progress — Fe 61
  - Safety devices described — Fe 61
- Side slip — Ap 24
- Stability
  - Fin, vertical, effects — Ap 24
  - Fuselage effects — Ap 24
- Stabilizer development — Jn 23, 30
- Stalling — Ap 24
- Testing
  - Correlation, wind tunnel and flight testing
    - Drag — Fe 43
    - Engine power — Fe 43
    - Propeller efficiency — Fe 43
- Testing
  - Flight — Fe 43
  - Wind tunnel — Fe 43
- Vibration, reduction means — Ap 25
- Wing loading, passenger comfort affected by — Ap 25

(See also Accidents and Accident Prevention; Aircraft Design and Construction; Aviation; Engines, Aircraft; and Instruments)

Aluminum and Aluminum Alloys

- Aircraft use of — Fe 42; De 21
- Alclad — Fe 42; De 21
- Corrosion — Fe 42
- Cost factor — Jl 55
- Diesel engine use of — Jl 55
- Gatings — Jl 55
- Motorcoach use of — Jl 55

American Foundrymen's Association — Jn 33

American Management Association — Fe 18

American Public Health Association — Fe 58

American Society for Metals — Je 14

American Society for Testing Materials — Mr 13; My 28; Jl 22; Se 17, 28; Oc 15; No 40

American Standards Association — Mr 13; Oc 15

Army Je 28, 29; Jl 68; Ag 25, 26; Se 16; Oc 14; No 17, 18, 19; De 14

Automobile Design and Construction

- Cost factor, past and present — Jl 26, 27
- Criticisms — De 14
- Design features, past and present — Jl 26, 27
- Design trends — Ag 27
- Equipment progress — Jl 30, 31
- Future predicted — Jl 31; Ag 27; No 37, 38
- History — Jn 23; Jl 30
- Improvements needed — Jl 20, 21
- Makes
  - Buick — Fe 36; De 18
  - Cadillac — De 18
  - Chrysler — Jn 28; De 18
  - DeSoto — De 18
  - Franklin — Jn 23
  - Haynes-Apperson — Jn 23
  - Nash — De 14, 18
  - Oldsmobile — Jn 28; Fe 56; My 16; De 18
  - Past and present — Jl 26, 27
  - Scarab — Jl 22
  - Winton — Jn 23
- Models, 1941, pictures of — No 22, 23, 24
- Production, war effects — De 36
- Progress — Jn 22, 23, 28; Jl 30; Ag 27; De 18
- Research contribution to — Jl 30
- Rubber used in — No 40; De 15

PAGE

Automobile Design and Construction (Concluded)

- Starter, electric, importance of — Jl 30
- Styling — De 14, 18
- Trends — Jn 28; De 18
- War effects — De 36
- Weight trends — No 37, 38

(See also Accidents and Accident Prevention; Automobile Operation and Performance; Axles; Bodies; Brakes; Clutches; Engine Design and Construction; Frames; Gears; Headlighting; Production; Riding Qualities; Tires and Rims; and Transmissions)

Automobile Manufacturers Association — Jn 11

Automobile Operation and Performance

- Carbon monoxide problem — Jl 21, 22
- Cars for fleet use — My 12
- Direction signals
  - Color factor — Fe 36
  - Location — Fe 36
  - Need for — Fe 36
  - Safety factor — Fe 36
  - Types — Fe 36
- Fleet use of — My 12
- Maintenance
  - Cleaning operations — Ag 25
  - New models and old compared — Jn 22
- Noise
  - Reduction — Jn 22
  - Sources — Jn 22
- Speeds recommended — De 18

(See also Accidents and Accident Prevention; Automobile Design and Construction; Axles; Bodies; Brakes; Clutches; Engine Operation and Performance; Fleet Operation; Lubricants and Lubrication; Riding Qualities; Tires and Rims; and Transmissions)

Automotive Industry

- Army motorization policy — No 18, 19
- Aviation relation to — Jl 35
- Canadian, progress — De 36
- Cooperation as factor — Jl 29
- Customer research — My 25
- History — Jl 26, 27
- Importance of — De 36
- Past and present compared — Jl 26, 27
- Progress — Jl 29; No 18
- S.A.E. contribution to — Jl 29
- War relation to — De 36

Aviation

- Aeronautical Archives — Mr 26
- Airline traffic, future predicted — Ap 13
- Air-mail pick-up, non-stop — Jl 72
- Air traffic control — Ag 17
- Army — Je 28, 29; Ag 25, 26
- Automobile industry relation to — Jl 35
- Camera, aerial, description of — Fe 58, 59
- Commercial
  - Mileage increase — Je 30
  - Passengers carried — Fe 62; Je 30
  - Personnel employed — Je 30
  - Planes, number of — Je 30
  - Progress — Fe 62; Je 29, 30
  - Safety — Je 30
  - Tonnage increase — Je 30
- Foreign
  - Domestic compared with — Mr 18; My 27
  - Military — My 27
  - Production data — My 27
- Future predicted — Ap 13, 16; No 32; De 12
- Hangar congestion problem — Ap 26
- Instrument-board simplification — Fe 61
- Landing fees — Ap 25, 26
- Landing fields, larger number needed — Ap 26
- Landing, instrument — Fe 61
- Light airplanes — Ap 25, 26
- Manly Memorial Medal — Ap 15
- Military
  - European — No 32, 33
  - Pilots' skill praised — No 33
  - Requirements — No 32
- Passenger comfort — Ap 25
- Passenger traffic trends — Jl 35
- Pilot, amateur, value of — De 12
- Pilot fatigue reduced — Fe 61
- Progress — Fe 61; Mr 13, 17; Ap 13; My 27; Jl 34, 35; De 20
- Radio progress — Fe 61

SUBJECT INDEX

PAGE

Aviation (Concluded)
- Research contribution to — Jl 33, 34
- Research laboratory — No 36
- Research, need for — Mr 18
- Revenue — Jl 35
- Safety devices described — Fe 61
- Safety increase — Fe 61; Ap 13; Je 30
- Standardization needed — De 25
- Supercharged aircraft ignition harnesses — De 23
- Traffic control — Fe 61; Ag 17
- War effects — My 27
- Weather conditions, upper air surveys — Fe 61
- Wright Brothers Medal — Ap 14

(See also Accidents and Accident Prevention; Aircraft Design and Construction; Aircraft Operation and Performance; and Engines, Aircraft)

Axles
- Lubrication
  - Oil changes, seasonal — Fe 17
  - Oil selection, factors affecting — Fe 17
- Rear
  - Load — Fe 17
  - Lubrication — Fe 17
- Size trends — Fe 17
- Testing, Gleason machine used — Fe 17
- Two-speed — Ag 24

B

Batteries
- Diesel and gasoline use compared — Fe 48
- Starting requirements — Fe 48

Bearings
- Cleanliness, importance of — De 38
- Corrosion
  - Causes — Jn 30
  - Lubricant effects — Jn 30
  - Material effects — Jn 30
  - Reduction means — Jn 30; De 15
- Engine
  - Failure
    - Causes — Jl 56; Se 16; De 35
    - Metal effects — My 30
    - Shell effects — Se 16
    - Temperature effects — My 30; Jl 55, 56
  - Load
    - Gas — My 32
    - Inertia — My 32
- Grooved vs. ungrooved — My 30
- Indium used in — Jn 30
- Journal
  - Load-carrying capacity — Fe 64
  - Lubrication — Fe 64
- Load
  - Lubricant effects — Fe 64
  - Speed relation to — Fe 64
- Lubrication
  - Heat dissipation — Fe 64
  - Oil pressure — Fe 64
  - Oil viscosity — Fe 64
- Metal
  - Aluminum — Jl 55
  - Babbitt
    - Merits — Je 27
    - Thickness decreased — Je 27
  - Failure affected by — My 30
- Progress — My 30
- Safe operation, factors affecting — Fe 64
- Temperature effects — Fe 64; My 30; Jl 55, 56
- Ungrooved vs. grooved — My 30

Bodies
- Air-conditioning
  - Cooling, progress — Fe 35
  - Cost factor — Fe 35; Jl 38
  - Demand for — Jl 31, 38
  - Fresh air needed — Fe 35
  - Heating, progress — Fe 35
  - Motorcoach — Jl 38, 39
  - Progress — Fe 35; Jl 39
  - Systems classified — Fe 35
  - Ventilating, progress — Fe 35
- Chassis unit construction with — Jl 28
- Cooperation of welding and body engineers urged — Jl 69
- Cost data — Jl 28
- Doors, motor-truck — Fe 50

PAGE

Bodies (Concluded)
- Floor pan as part of frame — Jl 28
- Improvements needed — Jl 31
- Motorcoach
  - Appearance, color effects — Mr 30
  - Color selection — Mr 30
- Motor-truck
  - Appearance, color effects — Mr 30
  - Color selection — Mr 30
  - Doors — Fe 50
  - Welded — Fe 50
- Plastics used in — Fe 37
- Progress — Jn 22; Jl 30, 31
- Rigidity — Jl 28
- Seats
  - Cushions
    - Contour — Fe 35
    - Future predicted — Fe 35
    - Material effects — Fe 35
    - Motor-truck — Fe 35
    - Pressure distribution — Jl 25, 28
    - Research — Jl 25
    - Riding comfort affected by — Fe 17
    - Testing — Jl 25
    - Trends — Jl 25
    - Trim style effects — Fe 35
  - Research — Jl 25
  - Universal Test Seat — Jl 25
- Standardization needed — Jl 28
- Stiffness — Jl 75
- Unit frame and body type criticized — Jl 71
- Windshields, safety affected by — Jl 21, 22

Brakes
- Air, progress — Mr 26
- Auxiliary power, need for — Mr 26
- Balancing — Mr 26
- Cooling — Mr 26
- Duo-Servo type — Mr 26
- Effectiveness, factors affecting — Mr 26
- Hydraulic
  - Motor-truck — Mr 26
  - Reliability — Mr 26
  - Rubber used in — Mr 26
- Lining, test methods — Ag 27
- Maintenance, importance of — De 38
- Motorcoach, air — Ap 27
- Motor-truck
  - Brake pedal action — Mr 26
  - Hydraulic — Mr 26
- Pedal action — Mr 26
- Rubber used in — Mr 26
- Steering affected by — Mr 26
- Testing — Jn 29
- Vacuum, progress — Mr 26

Bus

(See Motorcoach)

Business Advisory Council — Fe 18

C

Carburetors and Carburetion
- Aircraft, progress — Jl 34
- Choke, automatic — My 16
- Direct injection compared with — Ap 14, 15
- Downdraft — Ap 23
- Efficiency, factors affecting — Fe 60
- Maintenance, importance of — No 37
- Vapor lock — Fe 64

Chemistry
- Industrial cleaning — Ag 26
- Metal cleaning, automotive — Ag 26

Civil Aeronautics Authority — Ap 13; Jl 73; De 23

Clutches
- Double-throw — Jn 32
- Friction — Fe 56
- Hydraulic — Fe 56; No 25

Cooperative Fuel Research
- Aviation Fuels Survey Groups — Se 28
- Detonation testing
  - Aviation fuels — Fe 41; Se 28
  - Method proposed — Se 28

PAGE

Cooperative Fuel Research (Concluded)
- Road-Test Program — Fe 50, 64
- Take-off rating test needed — Fe 41
- Diesel fuels
  - Ignition quality — Se 28
  - Volatility tests — Se 28
- Division chairmen — Se 28
- Divisions of — Fe 30
- Full-Scale Engine Test Committee — Jl 54
- History — Jl 30, 35, 37
- Motor Fuels Division — Fe 64
- Motor-Gasoline Survey — Fe 64
- Motor Survey — Fe 64
- National Defense activities — Se 28
- Progress — Fe 30, 31
- Vapor-lock research — Fe 64; De 22
- Winter Motor Gasoline Survey — Se 28

Corrosion and Corrosion Prevention
- Aluminum — Fe 42
- Bearings — Jn 30; De 15
- Causes — Jn 30; Fe 42
- Fuel tanks, aircraft
  - Causes — Fe 42
  - Prevention — Fe 42
- Lubricant effects — Jn 30
- Magnesium — De 21
- Material effects — Jn 30
- Reduction means — Jn 30
- Water as cause — Fe 42

Crankshafts
- Vibration
  - Aircraft engines — Ap 23
  - Dampers, Lanchester — Ap 23

Cylinders
- Cast-iron — Jn 33
- Chromium plating
  - Cost factor — Je 30
  - Future predicted — Je 30
  - Requirements — Je 30
  - Wear reduced by — Je 30; Jl 73
- Liners
  - Coating, wear resistant — Jl 55, 56
  - Distortion causes — Jl 56
  - Wear prevention — Jl 55, 56
- Microscopic study needed — Jn 33
- Structure, cylinder-bore — Jn 33
- Wear
  - Hardness relation to — Jn 33
  - Lubricant effects — Jl 59
  - Reduction means — Jn 33; Je 30; Jl 73
  - Remedies suggested — Jl 59
  - Structure relation to — Jn 33
  - Temperature effects — Jl 59
  - Testing — Jn 33

D

Department of Agriculture — Jl 31

Detonation
- Antiknock fuels developed — De 35
- Carbon deposit effects — Fe 51, 64
- Engine factors
  - Air-fuel mixture ratio — Fe 50, 51, 59
  - Combustion speed — Ap 15
  - Compression pressure — Fe 59
  - Data on — Fe 50
  - Pressure — Ap 15
  - Spark setting — Fe 51
  - Speed — Fe 59
  - Throttling — Fe 59
- Fuel factors
  - Aviation fuel — Ap 28
  - Cracking — Fe 59
  - Data on — Fe 50
  - Molecular structure — Fe 50
  - Octane number — Fe 50, 51, 64
  - Sensitivity factor — Fe 51
  - Volatility — Fe 50, 51
- Humidity effects — Fe 59
- Knock characteristics
  - Evaluation of — Ap 28
  - Factors involved — Ap 28
- Mileage relation to — Fe 51
- Problem, complexity of — Fe 50

PAGE

Detonation (Concluded)
- Suppressers, tetraethyl lead — My 32, 34
- Testing
  - Correlation between laboratory and road test needed — Fe 51, 64
  - Data summarized — Fe 50, 51
  - Engine variables, effect of — Fe 50, 51
  - Fuel type effects — Fe 50, 51
  - Knockmeter, new design — Fe 51, 64
  - Photographic method — Ap 15
  - Progress — Fe 50, 51
  - Road — Fe 50, 51, 59, 64

E

Economics
- Canadian problems — No 34
- Collective bargaining — Fe 18
- Customer research
  - Aim — My 25
  - Factors involved — My 25
- Employment
  - Plan outlined — Je 14
  - Regularization of — Fe 20
- Management problems — Fe 18, 19, 20
- Security — Fe 19
- Specialization
  - Extreme, criticism of — My 25
  - Merits — My 25
- Subsistence, Government-guaranteed
  - Capitalism as basis for — Je 14
  - Plan outlined — Je 14
- Unemployment — Fe 19
- Unionism — Fe 18
- Wage trends, highway construction — Fe 60
- War effects — No 21

Education
- Adult — Ag 25
- Engineering
  - Requirements — Ag 25
  - S.A.E. contribution to — Ag 25
- Medical progress — My 26
- Photoelasticity course — Mr 27
- Public speaking course — Fe 57

Engine Design and Construction
- Electrical equipment — De 37
- History — Jl 30
- Lubricant development compared with — Je 27
- Makes, Waukesha — Ag 26
- Multi-fuel engine, merits — Ag 26
- Progress — Jl 30; De 18
- Trends — De 14

(See also Bearings; Carburetors and Carburetion; Cylinders; Detonation; Engine Operation and Performance; Engines, Aircraft; Engines, Diesel; Engines, Marine; Engines, Motorcoach; Engines, Motor-Truck; Engines, Oil; Engines, Tractor; Fuels; Gasoline; Pistons; and Valves and Valve Gear)

Engine Operation and Performance
- Break-in period, importance of — Ag 27
- Combustion
  - Data — Jl 60, 61
  - Effectiveness of — Jl 60, 61
  - Mean effective pressure — Jl 61
  - Testing, photographic methods — Jl 60, 61
  - Thermodynamic analysis — Jl 60, 61
- Cooling, vapor-phase system — Je 26
- Cost factor — Jn 22
- Diesel engine compared with — Jn 22, 32; Fe 47
- Equilibrium, factors affecting — Fe 45
- Flame propagation, electric field used in study of — My 32
- Fuel consumption
  - Air-fuel mixture ratio effects — My 16
  - Factors affecting — My 16
  - Fuel type effects — My 16
  - Ignition effects — My 16
  - Induction manifold effects — My 16
  - Temperature effects — My 16
- Fuel-deposit effects — Fe 45
- Heat loss — Jl 61
- Lubrication
  - Addition agents — My 28; Jl 63
  - Detergency — Jl 62, 63
  - Diesel engine compared with — Se 13
  - Oil-changing periods — My 28, 29
  - Oil consumption data — Jl 62

SUBJECT INDEX

PAGE

Engine Operation and Performance (Concluded)
- Oil cooling
  - Bearings affected by — My 30
  - Methods — My 30
  - Problems — My 30
- Oil deterioration, remedies for — Mr 28
- Oil oxidation — My 28; Jl 62, 63
- Oil properties
  - Compound — Jl 62, 63
  - Evaluation of — Jl 61, 62
  - Oiliness — Jl 62
  - Requirements — Jl 63
- Oil sealing methods — Mr 28
- Oil temperature control — Mr 28
- Problems involved — De 37
- Severe duty effects — Jl 62
- Sludge formation
  - Factors affecting — Fe 16
  - Oil effects — Fe 16
  - Reduction — Fe 16
  - Temperature relation to — Fe 16
  - Trends — **Fe 16**
- Stability — De 38
- Temperature range — My 30
- Testing
  - Service properties — Jl 61, 62
  - Small-scale single-cylinder engine used — Jl 61
- Varnish
  - Factors affecting — Fe 16
  - Oil effects — Fe 16
  - Reduction — Fe 16
  - Temperature relation to — Fe 16
  - Trends — Fe 15, 16
- Viscosity — De 38
- Maintenance
  - Lubricant effects — Ag 28
  - Problems involved — De 37
- Noise reduction — Je 26
- Performance meter, merits — Ag 26
- Power, fuel type effects — My 32
- Severe duty conditions — Jl 62
- Starting, Diesel engine compared with — Fe 48, 49
- Temperature, severe-duty effects — Jl 62
- Valve leakage as trouble cause — Ag 28
- Wear
  - Factors affecting — **Ag 24**
  - Piston ring effects — Ag 27
  - Reduction means — Ag 27
  - Scuffing — Ag 27

(See also Bearings; Carburetors and Carburetion; Cylinders; Detonation; Engine Design and Construction; Engines, Aircraft; Engines, Diesel; Engines, Marine; Engines, Motorcoach; Engines, Motor-Truck; Engines, Oil; Engines, Tractor; Fuels; Gasoline; Oil Coolers; Oil Filters; Pistons; Supercharging; and Valves and Valve Gear)

Engineering Council for Professional Development — Ag 25

Engineers and Engineering
- Cooperation, importance of — **Fe 55**
- Design
  - Production relation to — Fe 55
  - Stages involved in — Fe 55
- Educational requirements — Ag 25
- Employee qualifications — **De 38**
- Engineering Societies Library
  - Microfilm copying service — Je 33
  - Photostat service — Je 33
- Functions — **My 26**
- "Modern Pioneers" — Ap 19
- Photoelasticity course — Mr 27
- Production, design relation to — Fe 55
- Public speaking course — Fe 57
- Sales, cooperation with — My 25, 26

Engines, Aircraft
- Altitude effects — Jl 28
- Auxiliary power equipment — De 20
- Combustion
  - Preignition — Ap 15
  - Research — Ap 15
  - Temperature — Jn 34
  - Turbulence — Jn 34
- Cooling, air, merits — **Oc 14**
- Cooperative Universal Engine
  - History — Jl 52, 53
  - Installations compared — Jl 53

PAGE

Engines, Aircraft (Continued)
- Merits — Jl 53
- Weight — Jl 53
- Cowling
  - Aerodynamic forces — Fe 43
  - Pressure distribution — Fe 43
  - Structural design, importance of — **Fe 43**
  - Testing — Fe 43
- Cylinder types
  - Barrel
    - Classes of — Ap 15, 16
    - Cooling — Ap 16
    - Drag affected by — Ap 15
    - Merits — Ap 15, 16
    - Radial, air-cooled, compared with — Ap 16
    - Specifications — Ap 16, 26
  - Radial, air-cooled, barrel type compared with — Ap 16
- Diesel
  - Cooling, air recommended — Fe 40
  - Foreign use, German — Fe 40
  - Four-stroke cycle — **Fe 40**
  - Fuel feeding, start of injection — Jn 34
  - Fuel problems — Fe 40
  - Future predicted — Fe 40, 41
  - Gasoline engine compared with — Fe 40
  - Limitations — Fe 40
  - Merits — **Fe 40**
  - Two-stroke cycle — Fe 40
- Drag, cylinder type effects — Ap 15
- Flight tests
  - Importance of — Jl 28
  - Problems — Jl 28
- Ford Motor Company to manufacture — Oc 21
- Fuel consumption
  - Altitude effects — Jl 28
  - Engine speed relation to — Jl 28
  - Fuel feeding effects — Jn 34
  - Power relation to — **Jl 28**
- Fuel feeding
  - Direct injection
    - Carburetion compared with — Jn 34; Ap 14, 15
    - Data on — Jn 34
    - Factors involved — Ap 14, 15
    - Merits — Jn 34
    - Safety factor — Jn 34
    - Scavenging affected by — Jn 34
    - Testing — Ap 14, 15
    - Valve overlap — Ap 14
  - Fuel consumption affected by — Jn 34
  - Manifold injection — Jn 34
  - Nozzles, open — Ap 14
- Geared
  - Development — Ap 23
  - Direct-drive compared with — Ap 23
  - Light airplane use of — Ap 23
  - Merits — Ap 23
- Ignition harnesses, supercharged — De 23
- Light aircraft type
  - Barrel type — Ap 15, 16, 26
  - Cost reduction — Ap 26
  - Definition — **Ap 26**
  - Economic aspects — Ap 26
  - Geared type — **Ap 23**
  - Production problems — Ap 26
  - Progress — Ap 26
- Makes
  - Allison — My 27
  - Liberty — Jl 64
  - Pratt & Whitney — Jn 34; My 27
  - Wright — Fe 62; My 27; Jl 53
- Mounting
  - Dynafocal — Fe 58; Ag 30
  - Flexible — Fe 58
  - Progress — Fe 58
- Piston speed — Ap 16
- Power
  - Aircraft performance affected by — Fe 43
  - Altitude effects — Jl 28
  - Engine size relation to — Ap 15, 16
  - Fuel feeding effects — Jn 34
  - Fuel type effects — My 32
  - Trends — **Jn 30**
- Production
  - Equipment — **Je 15**
  - Line production methods unsuitable — Je 15, 16
  - Materials — Je 15, 16
  - Methods — Je 15, 16

PAGE

Engines, Aircraft (Concluded)

- Problems — Je 15
- Progress — Ap 13, 14; Jl 34
- Reduction gears — De 24
- Scavenging — Ap 14
- Size, small types
  - Fuel injection effects — Ap 23
  - Trends — Ap 23, 26
- Sleeve valves — Fe 58
- Standardization needed — De 25
- Supercharged ignition harnesses — De 23
- Torque meter — Jl 28; De 24
- Trends — Jl 34
- War effects — My 27
- Weight reduction — Jl 34

(See also Carburetors and Carburetion; Crankshafts; Cylinders; Detonation; Fuels; Gasoline; Ignition; Pistons; Supercharging; and Valves and Valve Gear)

Engines, Diesel

- Altitude operating difficulties counteracted — Mr 26
- Aluminum used in — Jl 55
- Applications — Jn 28, 29
- Automotive
  - Limitations — De 12
  - Possibilities — Ap 29
  - Smoke control, factors affecting — Fe 47, 48
- Combustion, factors involved — My 31
- Combustion chamber types — Jn 31
- Compression ratio — My 30, 31
- Cost factor — Jn 22; De 12, 13
- Cranking equipment, factors affecting — Fe 48, 49
- Deposits, valve — Jl 52
- Disadvantages — Jn 32
- Engine deposits, fuel type effects — Jl 54
- Engine operation, fuel type effects — Jl 54
- Exhaust lachrymation — Fe 48
- Exhaust, smoky
  - Causes — Fe 47, 48
  - Control means — Fe 47, 48
  - Fuel type effects — Fe 48
  - Types — Fe 48
- Four cycle and two-cycle compared — Jn 32
- Fuel consumption, gasoline engine compared with — Ap 30
- Fuel feeding
  - Air injection merits — Jn 31
  - Pumps, makes, Bosch — Jn 31
- Fuel requirements — Mr 24
- Future predicted — Jn 22; Ap 29
- Gasoline engine compared with — Jn 22, 32; Fe 47; Ap 29, 30; My 30; De 12, 13
- History — Fe 46
- Ignition problems — My 30, 31
- Lubrication
  - Detergency — Se 15; De 15
  - Factors affecting — Se 12, 13
  - Gasoline engine compared with — Se 13
  - Oil deterioration, remedies for — Mr 28
  - Oiliness — De 15
  - Requirements — Mr 24; De 13, 15
- Merits — Jn 22, 32; Ap 29
- Nomenclature criticized — Mr 24
- Progress — Jn 28, 31, 32; Je 25
- Research needed — Mr 24
- Run-in — Jl 55, 56
- Scuffing — Jl 55, 56
- Smoke control — Fe 47, 48
- Starting
  - Battery requirements — Fe 48
  - Cetane number relation to — Fe 48
  - Cold weather operation — Fe 48
  - Electrical — Fe 48
  - Factors affecting — Fe 48, 49
  - Fuel effects — Fe 48
  - Gasoline engine compared with — Fe 48, 49
  - Oil viscosity requirements — Fe 48
  - Temperature effects — Fe 48
- Supercharging, merits of — Jn 31
- Testing
  - Engine deposits, fuel type effects — Jl 54
  - Engine operation, fuel type effects — Jl 54
- Two-cycle and four-cycle compared — Jn 32
- Two-stroke
  - Charging process analyzed — Jl 54
  - Scavenging — Jl 54
- Usage extent — Jn 22

PAGE

Engines, Diesel (Concluded)

- Valve deposits — Jl 52
- Wear
  - Cylinder finish effects — Jl 55, 56
  - Scuffing — Jl 55, 56
- Weight factor — Jl 55

(See also Cylinders; Detonation; Engines, Aircraft; Engines, Motorcoach; Engines, Motor-Truck; Engines, Oil; Fuels; Pistons; and Supercharging)

Engines, Marine

- Outboard, small high-speed — Ag 30
- Power — Ag 30
- Sleeve valve — Fe 58
- Specifications — Fe 58; Ag 30

Engines, Motorcoach

- Diesel
  - Electric drive used with — Ap 29
  - Foreign usage, Australian — Mr 17
  - Fuel consumption — Mr 17
  - Fuel requirements — Ap 29
  - Gasoline engine compared with — Mr 17; Ap 29; Ag 24
  - Improvement needed — De 13
  - Lubrication
    - Experience summarized — De 13
    - Problems — Ap 29
  - Maintenance — Mr 17
  - Merits — Mr 17; Ap 29
  - Progress — Jn 22, 28
  - Wear — Ag 24
- Location, rear — Jl 38
- Power trends — Jl 38
- Wear
  - Factors affecting — Ag 24
  - Lubricant effects — Ag 24

Engines, Motor-Truck

- Compression ratio trends — Fe 57
- Diesel
  - Altitude operating difficulties counteracted — Mr 26
  - Combustion
    - Speed effects — Fe 57
    - Time element — Fe 57
  - Field for — Fe 57
  - Foreign use — Fe 57
  - Fuel types, trends — Fe 57
  - Future predicted — Jn 22; Fe 57
  - Gasoline engine compared with — Jn 22; Fe 57; Ag 30
  - History — Fe 57
  - Lubrication
    - Flushing recommended — Fe 57
    - Oil cooler usage — Fe 57
    - Oil temperature — Fe 57
  - Maintenance
    - Gasoline engine compared with — Fe 57
    - Importance of — Fe 57
    - Overhaul — Fe 57
    - Schedule — Fe 57
  - Merits — Jn 22; Fe 57
  - Mileage — Jn 22
  - Problems — Ag 29, 30
  - Progress — Fe 57
  - Speed
    - Oil temperature relation to — Fe 57
    - Trends — Fe 57
  - Usage extent — Jn 22
  - Wear, factors affecting — Fe 57
- Lubrication
  - Additives — Jl 59
  - Oil consumption — Jl 59
  - Varnish
    - Prevention — Fe 58
    - Sources of — Fe 58
- Performance, factors affecting — Jl 58
- Power
  - Trends — Fe 57
  - Vehicle weight relation to — Jl 57
  - Vibration effects — Jl 57
- Selection, factors affecting — Fe 55
- Size factor — Ag 29
- Speed factor — Se 13
- Trends — Jl 58
- Wear
  - Atmospheric effects — Fe 58
  - Chemical influence — Ag 24
  - Design influence — Ag 24

SUBJECT INDEX

PAGE

Engines, Motor-Truck (Concluded)
- Factors affecting — Ag 24
- Lubricant effects — Ag 24
- Manufacturing influence — Ag 24
- Operating influence — Ag 24
- Temperature effects — Fe 58

Engines, Oil
- Fuel feeding
  - Fuel viscosity effects — Fe 47
  - Injection pressure — Fe 47
- Makes, Hesselman — Ag 26
- Multi-fuel engine, merits — Ag 26

Engines, Railcar
- Diesel
  - Cost factor — Mr 25
  - History — Mr 25
  - Maintenance — Mr 25
  - Merits — Mr 25
  - Progress — Mr 25

Engines, Tractor
- Compression ratio trends — Ap 16
- Diesel, merits — Je 27
- Fuel consumption, trends — Ap 16
- Lubrication, oil filter effects — Mr 28
- Trends — Ap 16
- Wear, oil filter effects — Mr 28

F

Federal Aid Highway Act — Jl 32

Fleet Operation
- Appearance upkeep — Jl 60
- Brake lining — Jl 72
- Chassis lubrication — Jl 60
- Cooperation between designers and operators urged — Jl 40
- Depreciation — Fe 55
- Engine selection, factors involved — Fe 55
- Forest service
  - Lubrication — Jn 24
  - Operating experience — Jn 24
  - Problems — Jn 23, 24
  - Vehicle types used — Jn 24
- Fuel requirements — No 36, 37
- Inspection
  - Accident preventive — My 14, 15
  - Compulsory — My 14, 15
  - Criticism of — My 15, 16
  - Methods — My 15
  - Object — My 14
- Life expectancy — Fe 55
- Lubrication
  - Additives — Jl 59
  - Chassis — Jl 60
  - Crankcase oil analysis — Jn 29
  - Dust effects — Jn 24
  - Lacquer formation — Jl 73
  - Oil-changing periods — Jn 24
  - Oil filter usage — Jn 24
  - Problems — Jn 24; Jl 72
  - Temperature control — Jl 73
- Maintenance
  - Accessibility — My 13
  - Brakes — De 38
  - Break-down system — Jl 59
  - Cab-over-engine trucks — Mr 30
  - Cost — My 13
  - Engine wear relation to — Ag 24
  - Fuel selection — De 38
  - Importance of — Mr 19
  - Instrumentation
    - Factors involved — Fe 45, 46
    - Personnel relation to — Fe 45, 46
  - Lubrication — Jl 60; De 37, 38
  - Methods and equipment — Fe 45, 46, 55
  - Mileage schedule — Fe 55
  - New-model effects — Mr 30
  - Overhaul schedule — Ag 28
  - Owner vs dealer shops — Je 32
  - Periods — Jl 59
  - Personnel requirements — Fe 45, 46
  - Preventive — Jn 29; Jl 59; Ag 24; De 37
  - Problems — Jn 32; My 13, 14; De 38
  - Records, importance of — Fe 45, 46
- Mileage — Jl 59; Ag 28

PAGE

Fleet Operation (Concluded)
- Multi-stop — Fe 55, 56
- Newspaper delivery service — Fe 55; Ag 28
- Personnel requirements — Fe 56
- Problems discussed — Jl 72, 73
- Public utility
  - Car pooling — My 14
  - Cars for fleet use — My 12, 14
  - Economic aspects — My 14
  - Equipment — Ag 27
  - Improvement, means of — My 13, 14
  - Inspection — Ag 27
  - Light vehicles
    - "Engineered" — My 14
    - Heavied-up — My 14
  - Maintenance — My 13; Ag 27
  - Mileage — Ag 27
  - Personal element — My 14
  - Problems — My 11, 12
  - Throttle-stops, merits of — My 14
  - Vehicle selection — My 12, 14
- Safety factor — Jl 72
- Shop management — Se 15, 16
- Tires
  - Mileage, factors affecting — Mr 30
  - Retreading — Mr 30
- Transmissions — Jl 73

(See also Motorcoach Design and Operation; and Motor-Truck Operation and Performance)

Foreign Design and Operation
- Aviation
  - Domestic compared with — Mr 18
  - War effects — My 27
- Engines
  - Aircraft
    - Compression ratio — Je 28
    - Diesel — Fe 40
    - Domestic compared with — Oc 14; De 13
    - European — Je 28
    - Fuels used — Je 28
    - Speed — Je 28
  - Diesel, Germany — Fe 40
  - Motorcoach, Diesel — Mr 17
  - Motor-truck, Diesel — Fe 57
- Magnesium usage — De 21
- Motorcoach operation, Australian — Mr 17

Frames
- Body floor pan as part of — Jl 28
- Body unit construction with — Jl 28
- Cost data — Jl 28
- Future predicted — Jl 75
- Rigidity — Jl 28
- Standardization needed — Jl 28
- Unit body and frame type
  - Cost factor — Jl 75
  - Disadvantages — Jl 74, 75
  - Ride characteristics analyzed — Jl 74
  - Rigidity — Jl 74
  - Weight factor — Jl 75

Fuels
- Acetylene
  - Cost factor — Ag 26
  - Metal-cutting use of — Ag 26
- Aviation
  - Diesel requirements — Fe 40
  - Knock characteristics — Ap 28
  - Preignition characteristics — Ap 28
  - Rating, factors involved — Ap 28
  - Research — Ap 28
  - Safety fuels
    - Alkylation as source of — Fe 39
    - Aromatic type — Fe 39, 40
    - Calorific value — Fe 39, 40
    - Catalysis — Fe 39
    - Cost factor — Fe 39, 40
    - Gasoline compared with — Fe 40
    - Lead susceptibility — Fe 39
    - Paraffinic type — Fe 39
    - Safety factor — Fe 40; Ap 14
    - Test results — Fe 40
    - Types compared — Fe 39
  - Testing, Cooperative Universal Engine used — Jl 53
- Butane — Jl 52, 76; Ag 26; Se 14

PAGE

Fuels (Concluded)
- Diesel
  - Additives — De 15
  - Aviation requirements — Fe 40
  - Cetane number, engine operation affected by — Jl 54
  - Chart available — Mr 23
  - Cleanliness, maintenance costs affected by — Mr 26
  - Cost factor — Fe 41; Ap 30; Se 14
  - Doped — De 15
  - Economic aspects of — Fe 57
  - Furnace oil, merits of — Mr 26
  - Future predicted — Se 14
  - Gravity, engine operation affected by — Jl 54
  - Rating, cetane number — Fe 41
  - Requirements — Se 14
  - Standardization, lack of — Se 14
  - Testing — Jl 54
  - Viscosity — Fe 47; Jl 54
  - Volatility — Jl 54
- Distillate, tractor use of — Ap 16
- Future predicted — Jl 58
- Kerosene, tractor use of — Ap 16
- Octane number — Fe 39, 40
- Progress — Jl 30, 35
- Propane — Jl 52; Ag 26
- Rating, engine performance relation to — Mr 18
- Research contribution to — Jl 36
- Safety fuels — Fe 39, 40; Ap 14
- Tractor
  - Distillate — Ap 16
  - Kerosene — Ap 16
  - Standard fuel specification proposed — Ag 25
  - Test results summarized — Ag 25
- Utilization, factors affecting — Se 13

(See also Detonation, Fuel Factors; and Gasoline)

G

Gasoline
- Additives, octane requirements affected by — Fe 45
- Anti-knock quality — Jl 58
- Aviation
  - Octane number — Fe 40
  - Safety fuels compared with — Fe 40
- Cost factor — Jl 58; Se 14
- Cost reduction — Jl 37
- Deposits
  - Lead — Fe 45
  - Reduction means — Fe 45
- Engine performance affected by improvements in — Jl 36
- Future predicted — Jl 37, 58
- Gum content — Jl 58
- Improvement in — Mr 18, 25
- Octane number — Fe 40, 45; My 32; Jl 36, 37, 57, 58; Se 14; No 37
- Problems, fleet operators' — No 36, 37
- Progress — Jl 30, 35
- Refining methods, trends — Jl 58
- Road testing — Ag 29
- Sulfur content — Jl 58
- Testing, road — Ag 29
- Tractor use of — Ap 16
- Utilization, factors affecting — Se 13, 14
- Vaporization characteristics — Ag 25
- Vapor lock — Fe 64; No 37; De 22, 23
- Volatility — Jl 58
- Winter fuels — Ag 25

(See also Detonation, Fuel Factors; and Fuels)

Gas Producer, Swedish — Jn 26

Gears
- Failure causes — My 26
- Failure prevention — Fe 17
- Finishing
  - Ground form hobs used — Fe 44
  - Hobs, ground form — Fe 44
- Future predicted — My 26
- Hardening — My 26
- Helical — My 26
- Hypoid
  - Aircraft adoption of — Jn 30
  - History — Jn 29
  - Lubrication — Jn 30; Fe 17, 59; Ag 25, 28, 29
  - Merits — Ag 28
  - Production methods — Jn 29, 30; Ag 28
  - Spiral-bevel compared with — Ag 28
- Lubrication
  - Extreme-pressure lubricants — Fe 59
  - Hypoid — Jn 30; Fe 17, 59; Ag 25, 28, 29

PAGE

Gears (Concluded)
- Load carrying capacity — Fe 59
- Requirements — Fe 59
- Stability — Fe 59
- Multi-pinion — De 24
- Pitch size
  - Trends — My 26
  - Wear affected by — My 26
- Production problems — My 26
- Spur — My 26
- Strength, factors affecting — Fe 44
- Tooth size, reduction predicted — My 26
- Transmission, lubrication — Fe 17
- Wear, lubricant type effects — Fe 59

Generators
- Lightning, artificial — Jn 29
- Single vs. three-phase — De 20
- Types required — De 20

H

Headlighting
- Education needed — Fe 36
- Glare prevention
  - Light levels, raising of — Fe 36
  - Polarized light
    - Possibilities — Fe 36
    - Problems — Fe 36
- Headlamps
  - Beam aiming — Fe 36
  - Engineering phase — Fe 36
  - Maintenance phase — Fe 36
  - Problems — Fe 36
  - Progress — Fe 36
  - Sealed-beam — Jn 22; Fe 36; Ap 30

Highways

(See Roads and Streets)

I

Institute of the Aeronautical Sciences — Mr 26

International Petroleum Exposition — Je 27

International Standards Association — Mr 13

Interstate Commerce Commission — Jl 40; Se 13

Ignition
- Aircraft
  - Spark plugs
    - Airline experiences — Fe 38
    - Ceramic-insulated — Fe 37, 38
    - Factors affecting performance — My 32
    - Gas tightness — Fe 38
    - Harness leakage — Fe 38
    - Mica-insulated — Fe 37, 38
    - Problems — Fe 38
    - Properties involved in performance of — Fe 38
    - Reliability — Fe 38
    - Testing — My 32
  - Supercharged harnesses — De 23
  - Voltage requirements — My 32
- Spark plugs, aircraft — Fe 37, 38; My 32
- Voltage, aircraft engine requirements — My 32

Instruments
- Accelerometer — Fe 60
- Camera
  - Aerial — Fe 58, 59
  - High-speed motion — Ap 15; Jl 60, 61
- Distortion measurement — Fe 58
- Durometer — Jl 22
- Hazemeter — Fe 58
- Knockmeter — Fe 51, 64
- M-G-H performance meter — Ag 26
- Motograph — Jn 29; Ag 28
- Piston temperature measurement — Jl 63
- Polariscope — Fe 62
- Profilometer — Je 15, 24
- Ride meter — Je 25
- Strain gage — Je 32
- Surface analyzer — Je 15, 24
- Torque meter — Jl 28; De 24

K

Knock

(See Detonation)

SUBJECT INDEX

PAGE

L

Legislation
- Motor-truck development affected by — Ag 27
- Motor-vehicle inspection, compulsory — My 14
- Taxation, vehicle rating relation to — My 12

Lincoln, James F., Arc Welding Foundation — Je 32

Lubricants and Lubrication
- Additives — Fe 16; My 28; Jl 52, 59, 62, 63; Se 12; No 38
- Boundary lubrication — Jl 56, 57
- Compound — Fe 16; My 28; Jl 52, 59, 62, 63; Se 12; No 38
- Corrosion affected by — Jn 30
- Cutting fluids, recommendations on use of — Je 14
- Deposits, valve, caused by — Jl 52
- Detergency — De 15, 16
- Engine progress compared with — Je 27
- Extreme-pressure
  - Gear usage — Fe 59
  - Hypoid gear requirements — Jn 30; Ag 25, 29
  - Load carrying capacity — Fe 59
  - Machines for testing
    - Alden — Jn 30
    - S.A.E. — Jn 30
  - Progress — Fe 17
  - Requirements — Fe 17
- Factors involved — Se 12
- Future predicted — Se 12
- Greases — De 16
- Lacquering — De 16
- Oil changing — De 16
- Oil consumption
  - Factors affecting — Se 12, 13
  - Viscosity effects — Se 12
- Oil drainage periods — Se 13
- Oiliness — De 15
- Oil oxidation — My 28; Jl 52; Se 12, 13; De 15, 16
- Oil performance characteristics — Se 12
- Oil properties required — Jl 62
- Oil sealing methods — Mr 28
- Oil stability — Se 12
- Oil temperature — Mr 28; Se 12
- Progress — Mr 25, 26; Je 27; Se 12
- Requirements
  - Diesel engine — De 13
  - Heavy duty service — De 16
  - Hypoid gear — Jn 30; Ag 25, 29
- Sludging — Se 13
- Temperature reduction — De 16
- Testing — Jl 53; Se 12
- Types discussed — De 16
- Varnish — Fe 16
- Viscosity
  - Estimating at zero degrees — Se 17
  - Oil consumption affected by — Se 12
  - Temperature, zero — Se 17

(See also Axles; Engine Operation and Performance; Engines, Diesel; Engines, Motor-Truck; Fleet Operation; Gears; Oil Filters; and Transmissions)

M

Motor

(See Engine)

Materials
- Glass, safety — Jn 22; Fe 60; Mr 17; My 28
- Spark-plug insulators
  - Ceramic — Fe 37, 38
  - Mica — Fe 37, 38

(See also Plastics; Rubber; Steels)

Metals
- Cast iron
  - Cylinder material
    - Hardness — Jn 33
    - Structure — Jn 33
  - Engine wear relation to — Ag 28
  - Microstructure — Ag 28
  - Steel compared with — Jn 33; Ag 28
  - Wear relation to — Ag 28
- Indium
  - Corrosion reduced by — Jn 30
  - Cost — Jn 30
- Magnesium
  - Aircraft use of — De 21
  - Corrosion prevention — De 21
  - Cutting fluid for — Je 16
  - Forming — De 21

PAGE

Metals (Concluded)
- Merits — De 21
- Production expansion — De 21
- Machinability — Je 14
- Scoring — Jl 56
- Stress distribution — Fe 62
- Testing
  - Bakelite model used — Fe 62
  - "Freezing" technique described — Fe 62
  - Polarized light used — Fe 62

(See also Aluminum and Aluminum Alloys; Bearings; Corrosion and Corrosion Prevention; and Steels)

Motorcoach Design and Operation
- Air conditioning — Jl 38, 49
- Anti-roll-back devices — Jl 72
- Government operation, Australian — Mr 17
- Maintenance — Mr 18, 19, 24
- Progress — Jl 37, 38

(See also Bodies; Engines, Motorcoach; Fleet Operation; and Transmissions)

Motor-Truck Design and Construction
- Cooperation with operators urged — Jl 40
- Factors affecting development — Ag 27
- History — Jl 39
- Legislation effects — Ag 27
- Length-reduction merits — Fe 49
- Maintenance affected by — Jl 39
- Operation affected by — Jl 39
- Power-weight ratio — Jl 57
- Progress — Jl 57
- Standardization, importance of — Ag 26
- Standardization needed — Se 16
- Tire sizes, subcommittee appointed — Se 28
- Trends — Jn 28

(See also Axles; Bodies; Brakes; Engines, Motor-Truck; Motor-Truck Operation and Performance; Tires and Rims; and Transmissions)

Motor-Truck Operation and Performance
- Commodity distribution affected by — Jl 39
- Cooperation with designers urged — Jl 40
- Design effects — Jl 39
- Driver efficiency — Se 13
- Engine effects — Se 14
- Factors involved — Se 13
- Formulas, performance — Jn 14; Se 13
- Grade ability — Se 13
- Hill-climbing tests — Mr 18, 19
- Legal minimum performance requirements — Jn 13, 14
- Legislation effects — Ag 27
- Maintenance
  - Importance of — Fe 57
  - Overhaul schedule — Ag 28
- Makes
  - Delivery Vehicle Company — Fe 49
  - Diamond T — Fe 49
  - Divco-Twin — Fe 49
  - International — Fe 49
  - Mack — Fe 49
  - Pack-age-car — Fe 49
  - Walker — Fe 49
  - White — Fe 49
- Multi-stop delivery vehicles
  - Selection, factors involved — Fe 49
  - Types — Fe 49
- Overloading — Ag 27
- Payload — Jl 39
- Performance formulas
  - Ability — Jn 14
  - Factors involved — Se 13
  - Road-engine speed — Jn 14
  - Value — Se 13
- Performance requirements, legal minimum — Jn 13, 14
- Progress — Jl 57
- Rating
  - Ability factor — Jn 12, 13, 14
  - Capacity — Jn 28; My 12
  - Engine speed factor — Jn 14
  - Formulas — Jn 14; Se 13
  - Hill-climbing ability — Jn 11, 12, 15
  - Horsepower relation to — Jn 12, 13, 14, 15
  - Load-weight vs. tonnage methods — Jn 28
  - Performance requirements — Jn 13, 14; Se 13
  - Problems involved — Jn 12, 28
  - Recommendations — Jn 12, 13, 14

PAGE

Motor-Truck Operation and Performance (Concluded)
- Speed factor — Jn 14, 15
- Uniformity needed — Jn 28; My 12
- Weight factor — Jn 12, 13, 14, 15
- Traffic movement affected by vehicle types — Mr 18, 19
- Trends — Jl 39
- Vehicle selection, factors affecting — Fe 49

(See also Axles; Bodies; Brakes; Engines, Motor-Truck; Fleet Operation; Motor-Truck Design and Construction; Tires and Rims; and Transmissions)

N

National Advisory Committee for Aeronautics — Jn 34; Fe 40, 43; Ag 15, 24, 25, 28; No 35, 36

National Bureau of Standards — Jn 31; Ap 13; De 21

National Defense
- Advisory Commission — Jl 63; Oc 21; De 19, 30
- Aeronautic work, S.A.E. — Ag 12
- Airplane production debated — Jl 71
- Appropriations for — Jl 18, 65
- Army motorization policy — No 17, 18, 19
- Automotive contribution to — De 12, 17, 36
- Automotive industry affected by — De 36
- Aviation — No 32
- Blackout demonstration — Se 26
- Equipment increase — Jl 18, 19
- Factors involved — No 21, 33
- French defeat, lessons from — Oc 13
- Fuel, butane — Se 14
- Industrial Mobilization Plan — Jl 65
- Industrial problems — No 33, 34
- Industry's relation to — Jl 64, 65
- Labor problem — Jl 64, 65
- Machine tool problem — Jl 64
- Material reserves, importance of — Jl 65
- National Roster of Scientific and Specialized Personnel — De 12, 27
- Pilot, amateur, value of — De 12
- Power farming contribution to — No 21
- Preparedness — Jl 18, 63; De 12, 17, 35, 36
- S.A.E. cooperation — Jl 18, 20, 64, 65, 69; Ag 11, 12, 18; Se 11, 15, 28; No 17; De 12, 17, 25, 26, 27
- Standardization, importance of — De 17, 25, 26, 35
- Time element — Jl 65
- Tractor contribution to — No 21

National Labor Relations Board — Fe 18

National Motor Truck Show — Jn 28

National Roster of Scientific and Specialized Personnel — De 12, 27

O

Oil

(See Lubricants and Lubrication)

Oil Coolers
- Diesel engine use — Fe 57
- Selection, factors involved — Mr 28
- Types — Mr 28

Oil Filters
- Clogging — No 38
- Diesel engine use — Fe 47
- Engine wear affected by — Mr 28
- Merits — Mr 28
- Motor-truck usage — Jl 59
- Progress — Mr 28
- Sludge formation affected by — Fe 16
- Tractor engine use of — Mr 28
- Types — Jn 24; Mr 28; No 38
- Varnish affected by — Fe 16

P

Plastics
- Aeromold — Jl 68
- Aircraft possibilities — Jl 68, 69
- Applications — My 28
- Automotive use of — Fe 37, 60; No 38
- Bakelite — Fe 62
- Cost factor — Fe 60
- Fillers — Fe 60
- Future predicted — My 31
- History — Fe 37; My 28, 31
- Limitations — Fe 37
- Merits — Fe 60; Jl 68
- Molding process described — Jl 68

PAGE

Plastics (Concluded)
- Progress — My 31
- Safety aspect — Mr 17
- Tests, standard, needed — My 28
- Thermoplastic — My 31
- Thermosetting — My 31
- Types — Fe 37, 58; My 28, 31
- Vinyl — Mr 17

Pistons
- Rings
  - Coating
    - Types — Ag 27
    - Wear reduced by — Ag 27
  - Scuffing — Ag 27
  - Sticking
    - Causes — Fe 58
    - Reduction means — Fe 58
  - Temperature
    - Measuring, instrument for — Jl 63
    - Thermocouple method of measuring — Jl 63
- Wear — Je 27; Jl 55, 56, 57, 59

Production
- Abrasives
  - Bonded — Je 16, 24
  - Grading — Je 16, 24
  - Properties desirable — Je 16, 24
  - Testing — Je 16, 24
- Aircraft
  - Automobile methods compared with — De 22
  - Burring — De 22
  - Cost factor — De 22
  - Problems — De 21, 22
  - Shop loading — De 22
- Casting, permanent-mold process — Ap 28
- Cylinders
  - Inspecting — Jn 33
  - Machining — Jn 33
- Design relation to — Fe 55
- Engines, aircraft
  - Equipment — Je 15
  - Line production methods unsuitable — Je 15, 16
  - Materials — Je 15, 16
  - Methods — Je 15, 16
  - Problems — Je 15
- Finish
  - Honing — Je 15
  - Measuring
    - Importance of — Je 15, 24
    - Instruments used in — Je 15, 24
    - Methods of — Je 15, 24, 25
    - Standardization needed — Je 24
  - Progress — Je 15
  - Superfinish — Ap 31; Je 16
  - Testing — Je 15
- Gear finishing — Fe 44
- Gears — My 26
- Labor
  - Cooperation — Se 15
  - Management relation to — Se 14, 15
  - Specialization — Se 15
- Management
  - Aims — Se 15
  - Integration — Se 14
  - Personnel problems — Se 14, 15
  - Problems — Se 14, 15, 16
  - Psychology relation to — Se 14
  - Scientific — Se 15
- Superfinish — Ap 31; Je 16

(See also Aircraft Design and Construction, Production; Gears; and Welding)

Public Roads Administration — Mr 18; Jl 31, 32

R

Rims

(See Tires and Rims)

Railroads

(See Transportation)

Railcars
- Articulation — Mr 14
- Materials compared — Mr 14
- Streamlining — Mr 14
- Types described — Mr 14
- Weight reduction — Mr 14

SUBJECT INDEX

PAGE

Research
- Photoelasticity studies — Ap 27
- Sun in Motion Pictures — Jl 20

(See also Instruments; S.A.E., Research; and Testing)

Riding Qualities
- Comfort, factors involved — Jl 25
- Research — Jl 25
- Seat cushion effects — Fe 17, 35; Jl 25, 28

Roads and Streets
- Blackout demonstration — Se 26; De 14
- Car design affected by — De 18
- Construction
  - Cost trends — Fe 60
  - Earth moving — Fe 60
  - Equipment improved — Fe 60
- Design, grades — Mr 18, 19
- Future predicted — Jl 32
- Highway development
  - Economic aspects — My 29
  - Financing — My 29
  - Program, nation-wide, needed — My 29
  - Safety aspects — My 29
- Importance of — Jl 32
- Improvements planned — Jl 32
- Pennsylvania Turnpike — De 18
- Progress — Jl 32
- Tests, hill-climbing — Mr 18, 19
- Traffic
  - Research — Mr 18, 19
  - Test data — Mr 19
  - Vehicle speed effects — Mr 19
  - Vehicle type effects — Mr 18, 19

Rubber
- Automotive use of — Fe 60; No 40; De 15
- Body use of, seat cushions — Jl 23, 25
- Brake use of — Mr 26
- Compounds, number of — No 40
- Compression characeristics
  - Properties affecting — Jl 22
  - Research — Jl 22
- Cost factor — De 15, 17
- Durability, vibration effects — Fe 60
- Durometer, hardness measured by — Jl 22
- Dynamic fatigue life — Ag 27
- Form factor — Jl 25
- Hardness measurement — Jl 22
- Physical properties — Jl 22; No 40
- Research — Jl 22
- Standardization needed — Jl 22, 25
- Synthetic — Jl 33; De 14, 15, 17
- Terminology clarification needed — Jl 25
- Usage extent — De 17
- Vibration — Fe 60; Jl 25

Rubber Manufacturers Association — Ag 13

S

S.A.E.
- Aeronautical Standards Board for National Defense — Se 15; De 12, 13, 19
- Car cost decrease due to — Jn 23
- Committees
  - Administrative
    - Constitution — Ap 28
    - Meetings — Fe 29
    - Membership — Fe 29
    - Publication — Fe 29
    - Sections — Fe 31
  - Membership Policy — Ap 28
  - Motor Truck Rating — Jn 11; Se 28
  - National Defense — Jl 18; Ag 11, 12, 13; Se 11, 16
  - Ordnance Advisory — Jl 64; Ag 11, 12; Se 26; Oc 13; De 12
  - Personnel changes — Oc 16
  - Quartermaster Corps Advisory — Ag 11, 12; Se 11, 15, 16; Oc 14; De 12, 14
  - Research — Fe 29; Se 28
  - Standards — Fe 32
- Constitution, amendments — Ap 28; Jl 20; Ag 17
- Cooperation with War Department — Jl 18, 25
- Cooperative nature of — Jl 29
- Council — Jn 22; Jl 18, 64; Oc 16
- Exhibit at International Petroleum Exposition — Je 27
- Finances — Fe 32
- Industry indebted to — Jl 29

PAGE

S.A.E. (Continued)
- Meetings
  - Annual — Jn 17, 18, 19, 27; Fe 15; My 17; Jl 76; Ag 16; Se 28; Oc 28; No 40; De 11, 34
  - Annual Dinner — Je 28; Jl 76; Ag 16; Se 28; Oc 14, 15; No 17
  - Army Ordnance exhibit — Jl 24
  - Engineering displays — Jn 18, 19, 27; Fe 15, 25, 26, 27, 28; Oc 17; No 40; De 19, 34
  - Inspection trips — My 13; Je 14, 28
  - National Aeronautic — Jn 27; Fe 20; Mr 15, 16; Ap 13
  - National Aircraft Production — My 17; Je 28; Jl 76; Ag 13, 16; Se 28; Oc 17, 28; No 36; De 11
  - National Fuels and Lubricants — Jl 76; Ag 16, 25; Se 28; Oc 16, 28; No 33, 40; De 12, 15
  - National Production — Mr 16; Ap 17, 27; My 17; Je 14
  - National Tractor — Mr 28; Jl 76; Ag 16; Se 19, 28; No 21
  - National Transportation and Maintenance — Jn 27; Fe 20; Mr 15, 16, 30; My 11; Ag 24
  - Photographic contest — Jl 20; Ag 14
  - Regional Truck, Bus and Railcar — Ag 24
  - Registration fee — Jn 17; Fe 15
  - Summer — Jn 27; Fe 20; Mr 16; Ap 27; My 17, 18; Je 11, 12, 13, 28; Jl 17, 18
  - West Coast Transportation and Maintenance — Jl 76; Ag 16; Se 11
  - World Automotive Engineering Congress — Fe 18
- Membership
  - Affiliate — Jl 20
  - Applications received — Jn 16; Fe 34; Mr 22; Ap 22; My 24; Je 20; Jl 67; Ag 23; Se 23; Oc 24; No 30; De 32
  - Junior age limit extended — Ag 17
  - Junior age limit — Jl 20
  - Life, award of — Jn 23; Fe 15
  - New members qualified — Jn 16; Fe 33; Mr 22; Ap 21; My 17; Je 19; Jl 66; Ag 22; Se 23; Oc 24; No 31; De 33
  - Obituaries — Jn 20, 21, 34; Fe 54; Mr 23; Ap 20; My 22; Je 24; Jl 51; Ag 21; Se 22; Oc 26; No 29
  - Personal notes — Jn 25; Fe 52; Mr 20; Ap 18; My 20; Je 21; Jl 49; Ag 17; Se 20; Oc 18; No 26; De 28
  - Value of — Jn 29; Fe 18
- National defense cooperation — Jl 18, 20, 64, 65, 69; Ag 11, 12, 18; Se 11, 15, 28; No 17; De 12, 17, 25, 26, 27
- Officers
  - Councilors — Fe 22
  - Election — Fe 15
  - Nominees — Oc 19
  - President — Fe 21
  - Treasurer — Fe 22, 32
  - Vice Presidents — Fe 23, 24
- Opportunities offered by — Fe 18
- Placement service — Fe 18
- Professional activities
  - Aircraft — Fe 23; Ag 13; De 20, 37
  - Aircraft Engine — Fe 23; Ag 13; De 20
  - Diesel Engine — Fe 24
  - Fuels and Lubricants — Fe 24; De 12
  - Passenger Car — Fe 24
  - Passenger Car Body — Fe 23
  - Production — Fe 24
  - Tractor and Industrial Power Equipment — Fe 24; My 30
  - Tractor and Industrial — My 30
  - Transportation and Maintenance — Fe 23; My 11; Jl 39; Ag 16; Se 11; De 37
  - Truck, Bus and Railcar — Fe 24
- Progress — Jl 60
- Publications
  - Journal — Fe 18, 29
  - Roster — Fe 29; Mr 24
  - Transactions — Fe 29
- Research
  - Expansion recommended — Fe 18
  - Fuels — Fe 30, 31
  - Highways — Fe 30; Se 26, 28
  - Ignition — Fe 30; Se 28
  - Lubricants
    - Aircraft-engine — Fe 29, 30
    - Extreme-pressure — Fe 30
    - Oiliness — Fe 30
    - Oil stability — Fe 30
- National Defense activities — Se 28
- Riding comfort — Fe 30; Se 28
- Sections
  - Baltimore — Jn 27; Fe 30, 58; Mr 16; Ap 27, 28; My 17; Jl 76; Ag 26; Se 28; Oc 28; No 36; De 14, 34
  - Buffalo — Jn 27, 32; Fe 20; Mr 16; Ap 27; My 17; Je 25, 28, 30; Se 28; Oc 13, 14; De 35
  - Canadian — Jn 22, 27; Fe 20; Mr 16, 17; Ap 27; My 17, 25; Je 28; Jl 68; Oc 16; No 34, 40; De 36

PAGE

S.A.E. (Concluded)

Chairmen — Oc 22, 23
Chicago — Jn 27, 28; Fe 20, 55; Mr 16, 18; Ap 27, 28, 29; My 16, 17; Je 28; Ag 27, 28; Se 28; Oc 28; No 32; De 34, 36
Cleveland — Jn 22, 27; Fe 20, 62; Mr 16, 27; Ap 27; My 17, 28; Se 28; Oc 13, 14, 28; No 27, 40; De 18, 34, 35
Colorado Club — Fe 31, 60; Mr 27; Ap 21; My 26; Ag 17, 26; Oc 28; No 25, 36; De 17, 18
Dayton — Jn 27, 28; Ap 27; No 35
Detroit — Jn 27, 33, 34; Fe 20, 57; Mr 16; Ap 27; My 17, 25; Je 25, 28; Jl 69, 74; Ag 26, 27, 28; Se 28; Oc 28; No 33, 40; De 14, 34
Field editors — Fe 55; Mr 18; De 17
Indiana — Jn 27; Fe 20, 60; Mr 16, 18; Ap 27, 30; My 17; Je 25, 29; Se 28; Oc 28; No 40; De 14, 34
Kansas City — Jn 27, 32; Fe 20; Mr 18; Ap 27; Je 26; De 34
Metropolitan — Jn 27, 29, 30; Fe 20; Mr 16, 18, 24; Ap 27; My 17, 29; Je 29; Ag 28; Se 28; Oc 13, 14, 28; No 37, 40; De 34, 37
Milwaukee — Jn 27, 32; Fe 20, 60; Mr 16, 18; Ap 27; My 17, 26; Je 28, 32; Ag 28; Se 28; Oc 16; De 34
New England — Jn 27, 28, 29; Fe 20, 60; Mr 16, 19; Ap 27; My 29; Je 32; De 14, 38
Northern California — Jn 23, 27; Fe 20, 57; Mr 16, 17; Ap 27, 30; My 17, 30, 32; Je 28; Jl 72; Ag 29; Se 11, 13, 28; Oc 28; No 35, 37, 38, 40; De 17, 34
Northwest — Fe 20; Mr 16; Ap 27; Jl 69; Ag 26; Se 11, 12, 13; Oc 28; No 36; De 37
Officers — Se 18, 19
Oregon — Jn 22, 27; Mr 16, 19, 26; Ap 21; My 17; Je 28, 29; Se 13, 28; Oc 28; No 36, 40; De 17, 18, 34
Philadelphia — Jn 27; Fe 20, 56, 61; Mr 16; Ap 27, 29; My 17, 28; Je 30; Ag 30; Se 28; Oc 28; No 33, 40; De 34
Pittsburgh — Jn 27, 31; Fe 20, 58; Mr 16, 26; Ap 27, 30; My 11, 17; Je 32; Jl 72; Ag 27; Se 28; Oc 28; No 36, 40; De 18, 34
Richmond — Ag 27
St. Louis — Jn 27, 29; Fe 20; Mr 18, 25; Ap 27, 28; Se 28; Oc 28; De 34
Southern California — Jn 27, 29; Fe 20, 56, 58, 59; Mr 16, 25; Ap 27, 30; My 17; Je 26, 28, 32; Jl 68, 76; Ag 17, 28, 29, 30; Se 13; Oc 28, 40; De 34, 35
Southern New England — Jn 23, 27; Fe 20, 55; Mr 16, 17; Ap 27; My 17, 31; Se 28; Oc 28; No 32, 40; De 34
Syracuse — Jn 23, 27; Fe 20; Ap 27; My 17, 27; Je 28; No 40; De 34
Tulsa Group — Fe 20, 31, 57; Je 28; Jl 73; Ag 26; Oc 28; De 12
Washington — Jn 27, 31; Fe 20, 60, 62; Mr 16; Ap 13, 27; My 17; Je 28; Oc 28; No 40; De 17, 34

Student activities
Employment — Se 16
General Motors Institute — Jn 29; Fe 32; Ag 17
Massachusetts Institute of Technology — Fe 32; Mr 19; Ap 16; My 34; Je 32; De 38
New York University — Fe 32
Ohio State University — Fe 32; Mr 27; De 34
Oregon State College — Fe 32; My 32; Je 33; Jl 75
Paper competition — Mr 27; No 27
Progress — Fe 31, 32; Ap 19
Purdue University — Fe 32; Ap 31
University of Alabama — Fe 32; Ap 31
University of Detroit — Fe 32; No 38
University of Michigan — Fe 32, 60; Ap 31; Jl 70; De 34, 38
University of Oklahoma — Fe 32; Mr 27
University of Wisconsin — Fe 31, 32; Ap 31; My 30
Thirty-fifth Anniversary — My 19; Jl 17, 18, 29, 41, 60
Value of — Jn 23, 29; Ap 13; Ag 25; De 26

(See also Cooperative Fuel Research; and Standardization Activities, S.A.E.)

Safety

(See Accidents and Accident Prevention)

Springs, Suspension

Progress — Je 25
Weight distribution relation to — Je 25

Springs, Valve

(See Valves and Valve Gear)

Standardization

Advantages — De 25
Aircraft — De 25
Dangers — De 26
Definitions — De 26
Design affected by — De 25
Engines, aircraft — De 25
Importance of — De 13

PAGE

Standardization (Concluded)

Need for — De 25
Philosophy of — De 25, 26
Problems involved — De 25, 26
Progress — De 25

Standardization Activities, S.A.E.

Aeronautical Material Specifications — Je 24
Aircraft
Materials — Je 24; Ag 12; Oc 14
Materials Division formed — Mr 13
Need for — De 25
Plastic color project — Oc 15
Problems involved — De 25
Progress — Mr 13, 14; Ag 12, 13
Aircraft engine
Progress — Ag 12, 13; Oc 14
Testing code — Jl 73; Ag 13
American Standards Association cooperation — Mr 13; Oc 15
Civil Aeronautics Authority comments on — Jl 73
Committee report — Fe 32
Cooperative work — Fe 33
Expansion recommended — Fe 18
Fuel, aircraft — Ag 13
Handbook — Fe 33; Jl 75; Se 28; Oc 16
Iron and steel — Oc 14, 15
Lighting — Oc 16
Lubricants
Aircraft — Ag 13
Oil viscosity at zero degrees — Se 17
National defense aided by — Jl 64
Progress — Mr 13, 14; De 14
Rubber — Oc 15
Screw thread — Mr 13, 14; Oc 14
Wire and sheet metal gages — Oc 15

Steels

Cast iron compared with — Jn 33; Ag 28
Cleanliness, rating method proposed — Je 17, 18, 19
Cutting tests — Ag 26
Inclusions
Classification — Je 17, 18, 19
Rating method, proposed — Je 17, 18, 19
Low-carbon — Fe 44
Mild — Fe 44
Selection, method of — Mr 18
Stainless
Aircraft use of — Ap 24; De 21
Alclad compared with — De 21
Working — De 21

Streets

(See Roads and Streets)

Supercharging

Aircraft
Altitude effects — Jl 28
Axial-flow compressors — Jl 52
Centrifugal — De 24
Control — De 24
Cost factor — Jl 34
Exhaust-turbo — Jl 28
Fuel consumption affected by — Jl 28
Power affected by — Jl 28, 34
Geared — Jl 28
Intercoolers — Jl 28
Need for — Jn 29
Problems involved — De 24
Single-stage — Jl 28
Temperature — Jl 52
Two-speed — Jl 28
Two-stage — Jl 28
Weight factor — Jl 34
Blower types compared — Fe 46, 47
Diesel engine
Advantages — Jn 31, 32
Gasoline engine compared with — Jn 22, 32
Progress — Fe 46, 47
Valve overlap — Fe 47
Eccentric type — Fe 46
Exhaust-turbine type — Fe 47
Gasoline and Diesel engines compared — Jn 22, 32
Roots type — Fe 46
Turbo type — Ap 14
Valve overlap — Fe 47
Vane type — Fe 46

PAGE

T

Tanks, Army
- Cost factor — De 14
- History — Jl 68
- Importance of — Jl 68
- Name, origin of — Jl 68
- Progress — De 14
- Speed — Jl 68

Testing
- Aircraft
  - Flight — Fe 43
  - Wind tunnel — Fe 43
- Automobile bodies, seat cushions — Jl 25
- Axles, Gleason machine used — Fe 17
- Brakes — Jn 29
- Cylinder wear — Jn 33
- Engine, aircraft, cowling — Fe 43
- Fuel — Fe 41; Jl 53, 54
- Gasoline — Fe 41; Ag 29
- Lubricant — Jl 53; Se 12
- Metals
  - Bakelite model used — Fe 62
  - "Freezing" technique described — Fe 62
  - Polarized light used — Fe 62
- Plastics — Fe 58
- Riding qualities — Jl 25

(See also Detonation, Testing; and Instruments)

Tire and Rim Association — Se 28

Tires and Rims
- Balance, recapping effects — Je 32
- Balloon — Jl 33
- Cost factor — Jl 33
- Future predicted — Jl 33
- History — Jl 32
- Mileage data — Jl 33
- Pneumatic — Ap 26; Jl 32, 33
- Progress — Jl 22, 30, 32
- Recapping — Mr 30; Je 32
- Research contribution to — Jl 33
- Retreading — Mr 30
- Rims, wide base, stability improved by — Jl 22
- Rubber used in — Jl 33
- Sizes, subcommittee appointed — Se 28
- Tractor use of — Ap 26
- Valve development — Jl 33
- Wear
  - Driver effects — Je 32
  - Factors affecting — Je 32
  - Speed effects — Je 32
  - Tire scrub — Je 32

Tools
- Hobs
  - Gear accuracy relation to — Fe 44
  - Ground-form — Fe 44
  - Machine-relieved — Fe 44
  - Relief-ground — Fe 44
  - Sharpening, frequency of — Fe 44

Traffic

(See Roads and Streets)

Tractors, Farm
- Couplings — No 21, 25
- Design requirements
  - Crop changes, effect of — Ap 16
  - Trends — Ap 16, 26
- National security aided by — No 21
- Power farming — No 21
- Progress — Fe 57

(See also Engines, Tractor)

Tractors, Industrial
- Crawler-type — No 21
- Earth-moving type — Ag 26; No 25
- Haulage, heavy — No 25
- Hydraulic drives — No 25
- Military requirements — No 21
- Progress — No 25
- Road construction type — No 25

Trailers
- Legislation effects — Ag 27
- Semi-trailers — Ag 27
- Tractor — Ag 27

Transmissions
- Automatic
  - Characteristics desired
    - Driver's viewpoint — Je 25
    - Engineer's viewpoint — Je 25
  - Control means — Je 25, 26
  - Design described — My 16, 25
  - Infinitely variable — Je 25
  - Merits — Ap 31; My 16, 25
  - Step-gear — Je 25, 26
  - Types compared — Je 25, 26
- Coupling, hydrodynamic
  - Fuel consumption affected by — My 32
  - Maintenance cost affected by — My 32
  - Mechanical gear combined with — My 32
- Drives, hydraulic — Jn 32; Ag 28; No 25
- Electrical
  - Cost factor — Fe 56
  - Field for — Fe 56
  - Merits — Fe 56
  - Weight factor — Fe 56
- Fluid couplings — Jn 32; Je 25, 26; No 25
- Fluid drive — Je 29; Jl 73; No 40
- Four-speed — My 16, 25
- Friction drives
  - Merits — Fe 56
  - Problems involved — Fe 56
- Gear-box design improvements — Jl 69
- Gear reduction ratios — Fe 56, 57
- Gearshifting — Je 25, 26
- Hydra-Matic — Fe 56, 57; Ap 31; My 16, 25; De 18
- Hydrodynamic coupling — My 32
- Hydraulic coupling — Jn 32; Ag 28
- Hydraulic drives
  - Fluid clutches — Fe 56
  - Hydraulic converters — Fe 56
  - Industrial service — Jn 32; Ag 28; No 25
  - Merits — Ag 28
  - Types — Ag 28
- Lubrication
  - Oil changes, seasonal — Fe 17
  - Oil selection, factors affecting — Fe 17
- Makes
  - Hydra-Matic — Fe 56, 57; Ap 31; My 16, 25; De 18
  - Monodrive — Fe 56
  - Wilson — Fe 56
- Mechanical inertia principle — Fe 56
- Mechanically geared systems, types described — Fe 56
- Motor-truck
  - Diesel engine problems — Fe 56, 57
  - Five speed — Jl 69
  - Gear-box
    - Blocker-type synchronizer — Jl 69
    - Characteristics required — Jl 69
    - Design improvements — Jl 69
    - Lubrication — Jl 69
    - Temperature — Jl 69
  - Gear reduction ratios — Se 13
  - Gearshifting — Se 13
- Multi-speed — Ag 24
- Overdrive — Fe 56
- Progress — Jn 32; Je 25, 26; Jl 31
- Torque converters — Jn 32; Fe 56; Je 25; Ag 28; No 25
- Tractor
  - Fluid coupling merits — No 25
  - Hydraulic drives — No 25
  - Trends — Ap 26
- Types described and compared — Fe 56; Ag 30
- Unconventional — Fe 56

Transportation
- Progress — Jl 29
- Railroad
  - Braking — Ag 25
  - Car types — Ag 24, 25
  - Diesel progress — Jn 28
  - Locomotives
    - Axles
      - Photoelastic studies of — Ap 27
      - Progress — Ap 27
    - Dynamic augment — Ap 27
    - Photoelastic studies of — Ap 27
    - Progress — Ap 27
    - Wheel slippage — Ap 27
  - Progress — Jn 28; Ap 27; Ag 24
  - Streamlining — Ag 24, 25

PAGE

Truck
(See Motor-Truck)

U

United States Bureau of Mines Se 28
United States Forest Service Jn 23
United States Bureau of Public Roads Jn 11; Fe 60; Ag 26

V

Valves and Valve Gear
Aircraft
Deposits
Automobile compared with Jl 52
Causes Jl 52
Remedies suggested Jl 52
Exhaust Mr 17
Progress Mr 17
Seats Mr 17
Stem corrosion Mr 17, 27
Automobile, deposits
Aircraft compared with Jl 52
Causes Jl 52
Remedies suggested Jl 52
Cooling, seat width effects My 16
Deposits
Exhaust gas relation to Jl 52
Fuel as cause Jl 52
Location Jl 52
Lubricant as cause Jl 52
Temperature effects Jl 52
Types Jl 52
Leakage Jn 29; Ag 28
Seat inserts, metals used in Ap 23
Sleeve
Aircraft use Fe 58
Marine use Fe 58

PAGE

Valves and Valve Gear (Concluded)
Poppet compared with Jn 34
Single Fe 58; Ag 30
Springs, importance of Jn 29
Timing, fuel consumption affected by My 16
Tire valve development Jl 33

W

War
Aircraft production affected by My 27
Automotive industry affected by De 36
Bombing My 27
Canadian problems Jn 22; De 36
Engineers' part in Jn 22
Factors involved De 24
French defeat Oc 13; De 13, 17
Lecture on Fe 16
S.A.E. members affected by Jn 27
United States seen as mediator Jl 71, 72

Welding
Cooperation of body and welding engineers urged Jl 69
Cost factor Jl 69
Lincoln, James F., Arc Welding Foundation Je 32
Program sponsored by Arc Welding Foundation
Awards, number of Je 32
S.A.E. members eligible to participate in Je 32
Scope Je 32, 33
Resistance welding Fe 44
Shotweld system Ag 25
Spotwelding Fe 44; Ag 25
Stress analysis
Celluloid models used in Jl 69
Polarized light used in Jl 69

Wheels
Progress Jl 31
Weight reduction Jl 31